

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Bearings & Bushings	2554	Screws, 3x6mm cap-head machine (hex drive) (6)
4607	Ball bearings (5x11x4mm) (8)	3932	Screws, 3x6mm flat-head machine (hex drive) (6)
4612	Ball bearings (10x15x4mm) (2)	1647	Silicone grease
2728	Ball bearings (5x8x2.5mm) (2)	6878 5556	Slipper clutch, complete Slipper pressure plate & hub (aluminum alloy)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)	5351	Slipper pressure plate and hub (alloy)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)	0001	
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)		Chassis & Attachments
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)	6715	Body mount (1)/ body mount post (2) (front)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)	6815R	Body mount (1)/ body mount post (2)/ body post extensions (2) (front
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)	3628	or rear) Poy receiver (cooled)/ feem ned/2 5x9mm CS (4)/ 2x10mm CS (2)
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)	6735	Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) Bumper, front/ skidplate, front (black)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)	6722	Chassis
	Body & Accessories	6727	Hold down, battery (2)/ hold down retainer/ battery post/ angled body
1926	Antenna caps, vinyl (2)/ antenna spool	0.2.	clip
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	6727X	Hold down, battery/ hold down retainer/ battery post/ angled
3935	Body clip (mounting clip), angled, 90-degrees (10)		body clip (allows for installation of taller, multi-cell batteries)
3935A	Body clip (mounting clip), angled, 90-degrees (black) (10)	3629	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
3934	Body clips, heavy duty (12)	5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)
1815 6716	Body washers (8) Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)	4974	Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)
3617	Body, Stampede® (clear, requires painting) (requires #3614 to	6777 4976	Wheelie bar mounts/ rear skidplate (black)
3017	mount)	4976 5186A	Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar) Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/
6711X	Body, Stampede® 4X4 VXL, ProGraphix® (Graphics are printed,	3100A	axles (2)/ rubber tires (2)
	requires paint & final color application)/ decal sheet	5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/
6714	Body, Stampede® 4X4, ProGraphix® (Graphics are printed,		axles (2)/ rubber tires (2)
	requires paint & final color application)/ decal sheet		Differential Components
3617R	Body, Stampede® VXL, ProGraphix® (replacement for the	E110	-
	painted body. Graphics are printed, requires paint & final color application)/ window, grille, lights decal sheet	5119 5117	Ball bearings, blue rubber sealed (10x15x4mm) (2) Ball bearings, blue rubber sealed (6x12x4mm) (2)
2514	Decal sheet, racing sponsors	5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)	5381	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
5185	Tires, rubber (2) (fits Traxxas® wheelie bar wheels)	6814	Differential kit, center (complete)
4974	Wheelie bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4)	6882X	Gear set, differential (output gears (2)/ spider gears (2)/ spider gear
6777	Wheelie bar mounts/ rear skidplate (black)		shaft, carrier support)
4976	Wheels (4)/ axles (2) (for T-Maxx®/E-Maxx wheelie bar)	6881	Housings, differential, front
5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/	6880	Housings, differential, rear
	axles (2)/ rubber tires (2)	5379X	Ring gear, differential/ pinion gear, differential
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/	6778	Ring gear, differential/pinion gear, differential (12/47 ratio) (front)
	axles (2)/ rubber tires (2)	6779	Ring gear, differential/ pinion gear, differential (12/47 ratio) (rear)
	Center Driveline	5379R	Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)
5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)	6879R	Ring gear, differential/ pinion gear, differential (machined, spiral
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)	007011	cut) (rear)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)	6879	Ring gear, differential/ pinion gear, differential (rear)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)	3965	Screws, 2.5x8mm cap-head machine (6)
6893G	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/	1647	Silicone grease
	10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)		Driveline Components
6893X	Bearing adapter, 6160-T6 aluminum (blue-anodized)	6455	Axle carriers, rear, 6061-T6 aluminum, left & right (blue-
00000	(1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper	0433	anodized) (Compatible only when installing #6451 & #6452 steel
	shaft)		constant-velocity driveshafts)
6741	Cover, center driveshaft (clear)	5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
6877A	Cover, gear (clear)	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
6877	Cover, gear/ motor wire hold-down clip	5117	Ball bearings, blue rubber sealed (6x12x4mm) (2) (Compatible
6814	Differential kit, center (complete)		only when installing #6451 & #6452 steel constant-velocity
6888	Drive hub, center, rear (1)/ 4x3 GS (1)	conov	driveshafts)
6888X	Drive hub, front, hardened steel (1)/ screw pin (1)	6828X	Differential output yokes, heavy duty (2)/ screw pin (2)
6755 6755G	Driveshaft, center, 6061-T6 aluminum (blue-anodized) Driveshaft, center, 6061-T6 aluminum (green-anodized)	6851X	Driveshaft assembly, front, heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6755R	Driveshaft, center, 6061-T6 aluminum (green-anodized)	6852X	Driveshaft assembly, rear, heavy duty (1) (left or right) (fully
6756	Driveshaft, center, plastic (blue)/ screw pin	0002/1	assembled, ready to install)/ screw pin (1)
6883	Gear set, center differential (output gears (2)/ spider gears (2)/	6851R	Driveshafts, front, steel-spline constant-velocity (complete
0000	spider gear shaft)		assembly) (2)
5148	Grease, white lithium	6852R	Driveshafts, rear, steel-spline constant-velocity (complete
6884	Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/		assembly) (2)
	bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)	6750	Half shaft, external splined (steel-spline constant-velocity) (1)
6893	Input shaft (slipper shaft)/ bearing adapter (1)/pin (1)	6751	Half shaft, internal splined (steel-spline constant-velocity) (1)
6890	Plate, motor	6850X	Half shafts, heavy duty (external splined (2)/ internal splined (2))/ metal u-joints (4)
6890X	Plate, motor, 6061-T6 aluminum (blue-anodized)	6757	Rebuild kit, steel-splined constant-velocity driveshafts (includes
5352R	Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum	0.01	pins, dustboots, lube, and hardware)
	friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))	6439	Steering blocks, 6061-T6 aluminum, left & right (blue-anodized)
5352X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/		(Compatible only when installing #6451 & #6452 steel constant-
JJJ2A	2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))		velocity driveshafts)
5552X	Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/	6754	Stub axle, front, 5mm (steel-splined constant-velocity
	pin/ 4.0mm NL (1)/ 5.0mm NL (1))		driveshaft) (1)
2575	Screws, 3x6mm button-head machine (hex drive) (6)		
2575	Screws, 3x6mm button-head machine (hex drive) (6)		

Page 2	Stampede® 4X4	Unassembled Kit (Model 67014-4) Parts List
--------	---------------	--------------------------	---------------	--------------

6753	Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1)		Hardware
6854X	Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4)	1926	Antenna caps, vinyl (2)/ antenna spool
6853X	Stub axles, rear, heavy duty (2)/pins (2)	1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
6869	Wheel adaptors, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pins (4)/ drill bit, 0.25 inch (for 6mm shafts) (requires #6451 (x2), #6452 (x2), #6439, #6455, #5117 (x3))	3642 1552	Attachment screws, shock (3x12mm shoulder screws) (6) Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
654X	Wheel hubs, hex (blue-anodized, lightweight aluminum) (2)/ axle	3935	Body clip (mounting clip), angled, 90-degrees (10)
00-170	pins(4)	3935A	Body clip (mounting clip), angled, 90-degrees (black) (10)
	Front Suspension & Steering	3934	Body clips, heavy duty (12)
444		1589	Double-sided adhesive tape (25mm x 25mm) (2)
114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)	2586	Screws, 3x15mm cap-head machine (hex drive) (6)
2545 3823	Bellcrank bushings (plastic) (5x8x2.5mm) (4) Bulkhead tie bars, front & rear, aluminum (blue-anodized)	2745	Nuts, 3mm nylon locking (12)
823G	Bulkhead tie bars, front & rear, aluminum (green-anodized)	3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
823R	Bulkhead tie bars, front & rear, aluminum (red-anodized)	1747 1747R	Nuts, 4mm nylon locking (10)
8641A	Camber link set (plastic / non-adjustable) (front & rear) (grey)	1747K	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
641	Camber link set (plastic/ non-adjustable) (front & rear) (black)	1747G 1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
8643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1)	1747A 1985	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum,	5525	Rod ends (12)/ hollow balls (12)
.5-56	stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum	2742X	Rod ends, short (6)/ hollow balls (6)
	wrench (1)	3347	Screws, 2.5x5mm button-head machine (hex drive) (6)
3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum,	3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
	stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum	3965	Screws, 2.5x8mm cap-head machine (6)
	wrench (1)	2577	Screws, 3x10mm button-head machine (hex drive) (6)
832X	Caster blocks (c-hubs), 6061-T6 aluminum (blue-anodized), left &	2578 2552	Screws, 3x12mm button-head machine (hex drive) (6) Screws, 3x12mm countersunk machine (6) (hex drive)
	right	2579	Screws, 3x15mm button-head machine (b) (flex drive) Screws, 3x15mm button-head machine (hex drive) (6)
832G	Caster blocks (c-hubs), 6061-T6 aluminum (green-anodized), left & right	3646	Screws, 3x15mm flat-head machine (hex drive) (6)
832A	Caster blocks (c-hubs), 6061-T6 aluminum (orange-anodized),	2583	Screws, 3x18mm button-head machine (hex drive) (6)
1032A	left & right	2580	Screws, 3x20mm button-head machine (hex drive) (6)
832R	Caster blocks (c-hubs), 6061-T6 aluminum (red-anodized), left &	2591	Screws, 3x23mm button-head machine (hex drive) (6)
	right	2582	Screws, 3x30mm button-head machine (hex drive) (6)
832	Caster blocks (c-hubs), left & right	2592	Screws, 3x40mm button-head machine (hex drive) (6)
845A	Drag link, machined 6061-T6 aluminum (blue-anodized)	2575	Screws, 3x6mm button-head machine (hex drive) (6)
845G	Drag link, machined 6061-T6 aluminum (green-anodized)	2554	Screws, 3x6mm cap-head machine (hex drive) (6)
845T	Drag link, machined 6061-T6 aluminum (orange-anodized)	2534	Screws, 3x6mm countersunk machine (6) (hex drive)
845R	Drag link, machined 6061-T6 aluminum (red-anodized)	3932	Screws, 3x6mm flat-head machine (hex drive) (6)
895	Linkage, front sway bar (2) (assembled with rod ends, hollow	2576	Screws, 3x8mm button-head machine (hex drive) (6)
2007	balls and ball studs)	3931	Screws, 3x8mm flat-head machine (hex drive) (6)
8897	Linkage, rear sway bar (2) (assembled with rod ends, hollow balls and ball studs)	3937	Screws, 4x12mm button-head machine (hex drive) (6)
846	Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow	2542 2546	Screws, 4x12mm countersunk machine (hex drive) (6) Screws, 4x15mm countersunk machine (hex drive) (6)
	balls (2)	2743	Set (grub) screws, 3mm hardened (12)
2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings &	3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
	washers (2) (Big Bore Shocks)	2754	Stub axle pins (4)
2742	Rod ends, long (6)/ hollow ball connectors (6)	2746	Washers, 3x6mm metal (12)
3646 5529	Screws, 3x15mm flat-head machine (hex drive) (6)		LED Lights
0029	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)	6784	LED light bar (chrome, 4 clear lights)
8839	Shock tower, front	0704	5 , , ,
839X	Shock tower, front, 7075-T6 aluminum (blue-anodized)		Motors & Electronics
845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring	1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
	retainer/servo horn, steering	2260	BEC assembly (complete)
837X	Steering blocks, 6061-T6 aluminum (blue-anodized), left & right	2072A	Gear set (for 2070, 2075 servos)
837G		2072X	Gear set, metal (for 2070, 2075 servos)
	Steering blocks, 6061-T6 aluminum (green-anodized), left & right	2252	Convert motal (for 2000, 2000 comics)
	Steering blocks, 6061-T6 aluminum (orange-anodized), left &	2252 2072B	Gear set, metal, high speed (for 2070, 2075 serves)
837A	Steering blocks, 6061-T6 aluminum (orange-anodized), left & right	2072R	Gear set, metal, high speed (for 2070, 2075 servos)
837A 837R	Steering blocks, 6061-T6 aluminum (orange-anodized), left & right Steering blocks, 6061-T6 aluminum (red-anodized), left & right		Gear set, metal, high speed (for 2070, 2075 servos) Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mi
6837A 6837R 6837	Steering blocks, 6061-T6 aluminum (orange-anodized), left & right Steering blocks, 6061-T6 aluminum (red-anodized), left & right Steering blocks, left & right	2072R	Gear set, metal, high speed (for 2070, 2075 servos) Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
8837A 8837R 6837 6854X	Steering blocks, 6061-T6 aluminum (orange-anodized), left & right Steering blocks, 6061-T6 aluminum (red-anodized), left & right Steering blocks, left & right Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4)	2072R 6860A	Gear set, metal, high speed (for 2070, 2075 servos) Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mi
6837A 6837R 6837 6854X 6732	Steering blocks, 6061-T6 aluminum (orange-anodized), left & right Steering blocks, 6061-T6 aluminum (red-anodized), left & right Steering blocks, left & right Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4) Suspension arm guards, front (2)/ guard spacers (2)/ hollow balls (2)/ 3X16mm BCS (8)	2072R 6860A 6860R	Gear set, metal, high speed (for 2070, 2075 servos) Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mi NL (1) Motor mount, 6061-T6 aluminum (blue-anodized) Motor, Titan® 12T (12-Turn, 550 size) Motor, Velineon® 3500, brushless (assembled with 12-gauge
5837A 5837R 5837 5854X 5732	Steering blocks, 6061-T6 aluminum (orange-anodized), left & right Steering blocks, 6061-T6 aluminum (red-anodized), left & right Steering blocks, left & right Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4) Suspension arm guards, front (2)/ guard spacers (2)/ hollow balls (2)/ 3X16mm BCS (8) Suspension arms, blue, front/rear (left & right), heavy duty (2)	2072R 6860A 6860R 3785 3351R	Gear set, metal, high speed (for 2070, 2075 servos) Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1) Motor mount, 6061-T6 aluminum (blue-anodized) Motor, Titan® 12T (12-Turn, 550 size) Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
8837A 8837R 8837 8854X 8732 8655P	Steering blocks, 6061-T6 aluminum (orange-anodized), left & right Steering blocks, 6061-T6 aluminum (red-anodized), left & right Steering blocks, left & right Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4) Suspension arm guards, front (2)/ guard spacers (2)/ hollow balls (2)/ 3X16mm BCS (8) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2)	2072R 6860A 6860R 3785 3351R	Gear set, metal, high speed (for 2070, 2075 servos) Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1) Motor mount, 6061-T6 aluminum (blue-anodized) Motor, Titan® 12T (12-Turn, 550 size) Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors) Screws, 2.5x5mm button-head machine (hex drive) (6)
8837A 8837R 8837 8854X 8732 8655P 8655R	Steering blocks, 6061-T6 aluminum (orange-anodized), left & right Steering blocks, 6061-T6 aluminum (red-anodized), left & right Steering blocks, left & right Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4) Suspension arm guards, front (2)/ guard spacers (2)/ hollow balls (2)/ 3X16mm BCS (8) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2)	2072R 6860A 6860R 3785 3351R 3347 3932	Gear set, metal, high speed (for 2070, 2075 servos) Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1) Motor mount, 6061-T6 aluminum (blue-anodized) Motor, Titan® 12T (12-Turn, 550 size) Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors) Screws, 2.5x5mm button-head machine (hex drive) (6) Screws, 3x6mm flat-head machine (hex drive) (6)
8837A 8837R 8837 8854X 8732 8655P 8655R 8655G	Steering blocks, 6061-T6 aluminum (orange-anodized), left & right Steering blocks, 6061-T6 aluminum (red-anodized), left & right Steering blocks, left & right Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4) Suspension arm guards, front (2)/ guard spacers (2)/ hollow balls (2)/ 3X16mm BCS (8) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, left & right	2072R 6860A 6860R 3785 3351R 3347 3932 2254	Gear set, metal, high speed (for 2070, 2075 servos) Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1) Motor mount, 6061-T6 aluminum (blue-anodized) Motor, Titan® 12T (12-Turn, 550 size) Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors) Screws, 2.5x5mm button-head machine (hex drive) (6) Screws, 3x6mm flat-head machine (hex drive) (6) Servo case, aluminum (blue-anodized) (middle) (for 2250 servo
837A 837R 837 854X 732 655P 655R 6655G 6655X	Steering blocks, 6061-T6 aluminum (orange-anodized), left & right Steering blocks, 6061-T6 aluminum (red-anodized), left & right Steering blocks, left & right Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4) Suspension arm guards, front (2)/ guard spacers (2)/ hollow balls (2)/ 3X16mm BCS (8) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, left & right Suspension arms, orange, front/rear (left & right), heavy duty (2)	2072R 6860A 6860R 3785 3351R 3347 3932 2254 2253	Gear set, metal, high speed (for 2070, 2075 servos) Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0m NL (1) Motor mount, 6061-T6 aluminum (blue-anodized) Motor, Titan® 12T (12-Turn, 550 size) Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors) Screws, 2.5x5mm button-head machine (hex drive) (6) Screws, 3x6mm flat-head machine (hex drive) (6) Servo case, aluminum (blue-anodized) (middle) (for 2250 servo Servo case, aluminum (red-anodized) (middle) (for 2255 servo
8837A 8837R 8837 8854X 8732 8655P 8655R 8655G 8655X 8655T 8655L	Steering blocks, 6061-T6 aluminum (orange-anodized), left & right Steering blocks, 6061-T6 aluminum (red-anodized), left & right Steering blocks, left & right Steering blocks, left & right Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4) Suspension arm guards, front (2)/ guard spacers (2)/ hollow balls (2)/ 3X16mm BCS (8) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2) Suspension arms, left & right Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2)	2072R 6860A 6860R 3785 3351R 3347 3932 2254	Gear set, metal, high speed (for 2070, 2075 servos) Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0m NL (1) Motor mount, 6061-T6 aluminum (blue-anodized) Motor, Titan® 12T (12-Turn, 550 size) Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors) Screws, 2.5x5mm button-head machine (hex drive) (6) Screws, 3x6mm flat-head machine (hex drive) (6) Servo case, aluminum (blue-anodized) (middle) (for 2250 servo Servo case, aluminum (red-anodized) (middle) (for 2255 servo
5837A 5837R 5837 5854X 5732 5655P 5655R 6655G 5655C 5655T 5655L 5655A	Steering blocks, 6061-T6 aluminum (orange-anodized), left & right Steering blocks, 6061-T6 aluminum (red-anodized), left & right Steering blocks, left & right Steering blocks, left & right Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4) Suspension arm guards, front (2)/ guard spacers (2)/ hollow balls (2)/ 3X16mm BCS (8) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, left & right Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension arms, white, front/rear (left & right), heavy duty (2)	2072R 6860A 6860R 3785 3351R 3347 3932 2254 2253	Gear set, metal, high speed (for 2070, 2075 servos) Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0m NL (1) Motor mount, 6061-T6 aluminum (blue-anodized) Motor, Titan® 12T (12-Turn, 550 size) Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors) Screws, 2.5x5mm button-head machine (hex drive) (6) Screws, 3x6mm flat-head machine (hex drive) (6) Servo case, aluminum (blue-anodized) (middle) (for 2250 servo Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for the servo case)
6837A 6837R 6837 6854X 6732 3655P 3655G 3655G 3655X 3655T 3655L 3655A 6834	Steering blocks, 6061-T6 aluminum (orange-anodized), left & right Steering blocks, 6061-T6 aluminum (red-anodized), left & right Steering blocks, left & right Steering blocks, left & right Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4) Suspension arm guards, front (2)/ guard spacers (2)/ hollow balls (2)/ 3X16mm BCS (8) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2) Suspension arms, left & right Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2)	2072R 6860A 6860R 3785 3351R 3347 3932 2254 2253 2251 2074 2053	Gear set, metal, high speed (for 2070, 2075 servos) Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0m NL (1) Motor mount, 6061-T6 aluminum (blue-anodized) Motor, Titan® 12T (12-Turn, 550 size) Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors) Screws, 2.5x5mm button-head machine (hex drive) (6) Screws, 3x6mm flat-head machine (hex drive) (6) Servo case, aluminum (blue-anodized) (middle) (for 2250 servo Servo case, aluminum (red-anodized) (middle) (for 2255 servo Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo gears (for 2055, 2056 servos)
6837A 6837R 6837 6854X 6732 6655P 6655R 6655C 6655X 6655T 6655L 6655A	Steering blocks, 6061-T6 aluminum (orange-anodized), left & right Steering blocks, 6061-T6 aluminum (red-anodized), left & right Steering blocks, left & right Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4) Suspension arm guards, front (2)/ guard spacers (2)/ hollow balls (2)/ 3X16mm BCS (8) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, left & right Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension arms, white, front/rear (left & right), heavy duty (2) Suspension pin set, complete (front and rear)	2072R 6860A 6860R 3785 3351R 3347 3932 2254 2253 2251 2074 2053 2075R	Gear set, metal, high speed (for 2070, 2075 servos) Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1) Motor mount, 6061-T6 aluminum (blue-anodized) Motor, Titan® 12T (12-Turn, 550 size) Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors) Screws, 2.5x5mm button-head machine (hex drive) (6) Screws, 3x6mm flat-head machine (hex drive) (6) Servo case, aluminum (blue-anodized) (middle) (for 2250 servo Servo case, aluminum (red-anodized) (middle) (for 2255 servo Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo gears (for 2055, 2056 servos) Servo, digital high-speed, metal gear (ball bearing), waterproof
5837A 5837R 5837 5854X 5732 5655P 5655R 5655G 5655C 5655T 5655L 5655L 5655A 5834 5898	Steering blocks, 6061-T6 aluminum (orange-anodized), left & right Steering blocks, 6061-T6 aluminum (red-anodized), left & right Steering blocks, left & right Steering blocks, left & right Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4) Suspension arm guards, front (2)/ guard spacers (2)/ hollow balls (2)/ 3X16mm BCS (8) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension arms, white, front/rear (left & right), heavy duty (2) Suspension pin set, complete (front and rear) Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage) Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)	2072R 6860A 6860R 3785 3351R 3347 3932 2254 2253 2251 2074 2053	Gear set, metal, high speed (for 2070, 2075 servos) Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0m NL (1) Motor mount, 6061-T6 aluminum (blue-anodized) Motor, Titan® 12T (12-Turn, 550 size) Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors) Screws, 2.5x5mm button-head machine (hex drive) (6) Screws, 3x6mm flat-head machine (hex drive) (6) Screvo case, aluminum (blue-anodized) (middle) (for 2250 serv Servo case, aluminum (red-anodized) (middle) (for 2255 servo Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (2250, 2255 servos) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo gears (for 2055, 2056 servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof
6837A 6837R 6837 6854X 6732 3655P 3655R 3655G 3655X 3655T 3655L 3655A 6834 6898	Steering blocks, 6061-T6 aluminum (orange-anodized), left & right Steering blocks, 6061-T6 aluminum (red-anodized), left & right Steering blocks, left & right Steering blocks, left & right Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4) Suspension arm guards, front (2)/ guard spacers (2)/ hollow balls (2)/ 3X16mm BCS (8) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, left & right Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension arms, white, front/rear (left & right), heavy duty (2) Suspension pin set, complete (front and rear) Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage) Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, camber links, 58mm (assembled with rod ends and	2072R 6860A 6860R 3785 3351R 3347 3932 2254 2253 2251 2074 2053 2075R 2075	Gear set, metal, high speed (for 2070, 2075 servos) Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1) Motor mount, 6061-T6 aluminum (blue-anodized) Motor, Titan® 12T (12-Turn, 550 size) Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors) Screws, 2.5x5mm button-head machine (hex drive) (6) Screws, 3x6mm flat-head machine (hex drive) (6) Servo case, aluminum (blue-anodized) (middle) (for 2250 servo Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (12250, 2255 servos) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo gears (for 2055, 2056 servos) Servo, digital high-speed, metal gear (ball bearing), waterproof
6837A 6837R 6837 6854X 6732 3655P 3655R 3655G 3655X 3655L 3655L 3655A 6834 6898 3643 5539 6896	Steering blocks, 6061-T6 aluminum (orange-anodized), left & right Steering blocks, 6061-T6 aluminum (red-anodized), left & right Steering blocks, left & right Steering blocks, left & right Stub axles, front, heavy duty (2)/ yokes (2)/ pins (4) Suspension arm guards, front (2)/ guard spacers (2)/ hollow balls (2)/ 3X16mm BCS (8) Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2) Suspension arms, green, front/rear (left & right), heavy duty (2) Suspension arms, orange, front/rear (left & right), heavy duty (2) Suspension arms, red, front/rear (left & right), heavy duty (2) Suspension arms, white, front/rear (left & right), heavy duty (2) Suspension pin set, complete (front and rear) Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage) Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)	2072R 6860A 6860R 3785 3351R 3347 3932 2254 2253 2251 2074 2053 2075R 2075 2250	Gear set, metal, high speed (for 2070, 2075 servos) Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1) Motor mount, 6061-T6 aluminum (blue-anodized) Motor, Titan® 12T (12-Turn, 550 size) Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors) Screws, 2.5x5mm button-head machine (hex drive) (6) Screws, 3x6mm flat-head machine (hex drive) (6) Servo case, aluminum (blue-anodized) (middle) (for 2250 servo Servo case, aluminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (f 2250, 2255 servos) Servo case/gaskets (for 2056 and 2075 waterproof servos) Servo, digital high-speed, metal gear (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque (ball bearing), waterproof

Page 3 Stampede® 4X4 Unassembled Kit (Model 67014-4) P
--

Page 3	Stampede® 4X4 Unassembled Kit (Model 67014-4)	Parts Li	ist
2056	Servo, high-torque, waterproof (blue case)	6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/
3350R	Velineon® VXL-3s Brushless Power System, waterproof		3x8mm CCS (3)/ 3x10mm CCS (3)
	(includes VXL-3s waterproof ESC, Velineon 3500 motor, and	6540	Telemetry trigger magnet, 5X2mm (1)
3355R	speed control mounting plate (part #3725R)) Velineon® VXL-3s Electronic Speed Control, waterproof	6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)
3018R	(brushless) (fwd/rev/brake) XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake)	6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
		6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
005 4V	Radio System, Batteries & Chargers	6528	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-
2854X 2842X	10000mAh 7.4v 2-Cell 25C LiPo Battery 5000mAh 7.4v 2-Cell 25C LiPo Battery	0500	channel (transmitter only)
2843X	5800mAh 7.4v 2-Cell 25C LiPo Battery	6529	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)
2976	AC to DC converter, 40W	6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries		channel (transmitter only)
6548	to separate balance ports) Battery door, transmitter (replacement for #6516, 6517, 6528, 6529,		Rear Suspension
00.10	6530 transmitters)	6823	Bulkhead tie bars, front & rear, aluminum (blue-anodized)
2914	Battery, Power Cell AA Alkaline (4)	6823G	Bulkhead tie bars, front & rear, aluminum (green-anodized)
2926X	Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)	6823R	Bulkhead tie bars, front & rear, aluminum (red-anodized)
2941X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)	6829 3641A	Bulkhead, rear
2951X 2961X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)	3641	Camber link set (plastic / non-adjustable) (front & rear) (grey) Camber link set (plastic/ non-adjustable) (front & rear) (black)
2984	Battery/charger completer pack (includes #2969 2-amp NiMH	3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum,
	peak detecting AC charger (1), #2926X 3000mAh 8.4V 7-cell NiMH battery (1))		stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)
2992	Battery/charger completer pack (includes #2970 iD® charger (1),	3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum,
	#2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))		stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum
2260 2975	BEC assembly (complete)	3644R	wrench (1) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum,
2975 2972	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification	004410	stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto	1952X	Carriers, stub axle (blue-anodized 6061-T6 aluminum) (rear) (2)
	Battery Identification	1952G	Carriers, stub axle (green-anodized 6061-T6 aluminum) (rear) (2)
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification	1952T	Carriers, stub axle (orange-anodized 6061-T6 aluminum) (rear) (2)
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto	1952 1952A	Carriers, stub axle (rear) (2)
6525	Battery Identification Communication link, telemetry expander	6895	Carriers, stub axle (red-anodized 6061-T6 aluminum) (rear) (2) Linkage, front sway bar (2) (assembled with rod ends, hollow
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)		balls and ball studs)
2072A	Gear set (for 2070, 2075 servos)	6897	Linkage, rear sway bar (2) (assembled with rod ends, hollow
2072X	Gear set, metal (for 2070, 2075 servos)	FF00	balls and ball studs)
2252	Gear set, metal (for 2250, 2255 servos)	5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
2072R 2968X	Gear set, metal, high speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for	6838	Shock tower, rear
29007	Traxxas® iD® batteries)	6838X	Shock tower, rear, 7075-T6 aluminum (blue-anodized)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)	6853X 6732	Stub axles, rear, heavy duty (2)/pins (2) Suspension arm guards, front (2)/ guard spacers (2)/ hollow balls (2)/
6555	Mount, telemetry expander (fits Slash 4X4, Stampede® 4X4,	20550	3X16mm BCS (8)
0505	Rally, Jato®)	3655P 3655R	Suspension arms, blue, front/rear (left & right), heavy duty (2) Suspension arms, front/rear (left & right), heavy duty (2)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad	3655G	Suspension arms, green, front/rear (left & right), heavy duty (2)
6519	Receiver, micro, TQ 2.4GHz (3-channel)	3655X	Suspension arms, left & right
6518	Receiver, micro, TQi 2.4GHz with telemetry (5-channel)	3655T	Suspension arms, orange, front/rear (left & right), heavy duty (2)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)	3655L	Suspension arms, red, front/rear (left & right), heavy duty (2)
6552	Seal kit, expander box (includes o-ring, seals, and silicone	3655A	Suspension arms, white, front/rear (left & right), heavy duty (2)
6526	grease) Sensor, auto-detectable, temperature	6834 6898	Suspension pin set, complete (front and rear) Sway bar kit (front and rear) (includes front and rear sway bars
6527	Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage	0030	and adjustable linkage)
6520	Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)	3644	Turnbuckles, camber link, 39mm (69mm center to center)
6521	Sensor, temperature and voltage (long)		(assembled with rod ends and hollow balls) (1 left, 1 right)
2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)	6896	Wires, sway bar (front & rear, hard & soft) / 3x6 FCS (4)
2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)		Shocks (GTR)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for	7466X	Body, GTR long (hard-anodized, PTFE-coated aluminum) (1)
2074	2250, 2255 servos) Servo case/gaskets (for 2056 and 2075 waterproof servos)	7466	Body, GTR long shock, aluminum (blue-anodized) (PTFE-coated
2053	Servo gears (for 2055, 2056 servos)	74000	bodies) (1)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof	7466G	Body, GTR long shock, aluminum (green-anodized) (PTFE- coated bodies) (1)
2075	Servo, digital high-torque (ball bearing), waterproof	7466A	Body, GTR long shock, aluminum (orange-anodized) (PTFE-
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing),		coated bodies) (1)
2255	waterproof Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof	7467X 7467	Body, GTR xx-long (hard-anodized, PTFE-coated aluminum) (1) Body, GTR xx-long shock, aluminum (blue-anodized) (PTFE-
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	7467G	coated bodies) (1) Body, GTR xx-long shock, aluminum (green-anodized) (PTFE-
2056 6553X	Servo, high-torque, waterproof (blue case) Telemetry expander 2.0 and GPS module 2.0, TQi radio system	7407	coated bodies) (1)
6550X	Telemetry expander 2.0, TQi radio system (compatible only with	7467A	Body, GTR xx-long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)
6550	#6551X GPS module) Telemetry expander, TQi radio system	7468X	Caps & spring retainers, GTR shock (upper cap (2)/ hollow balls
6551X	Telemetry expander, 1 QI radio system Telemetry GPS module 2.0, TQI radio system (compatible only	7460	(4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
	with #6550X telemetry expander)	7468	Caps and spring retainers, GTR long/xx-long shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower
6539	Telemetry trigger magnet holder, center differential/ magnet, 5x2mm (1)/ 3x8mm BCS (3)	5475	retainer (2)) Multi-tool (plastic)

Page 4	Stampede® 4X4	Unassembled Kit (Model 67014-4) Parts List
--------	---------------	--------------------------	---------------	--------------

3767P

Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)

_			
5158	Nuts, 2.5mm nylon locking (12)	3767X	Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
7463	Rebuild kit, GTR long/xx-long shocks (x-rings, bladders, pistons,	1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
	piston nuts, shock rod ends, hollow balls) (renews 2 shocks)	2656T	Shock shafts, hardened steel, titanium nitride coated (xx-long)
5469	Rod ends (GTR shocks) (6)	2000.	(2)
7464T	, , , ,	1664	
	Shaft, GTR long, TiN-coated (2)		Shock shafts, steel, chrome finish (long) (2)
7461	Shocks, GTR long blue-anodized, PTFE-coated bodies with TiN	2656	Shock shafts, steel, chrome finish (xx-long) (2)
	shafts (fully assembled, without springs) (2)	1765	Silicone diaphragms (4)
7461G	Shocks, GTR long green-anodized, PTFE-coated bodies with TiN	1666	Silicone shock oil (30 wt)
	shafts (fully assembled, without springs) (2)	3769	Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
7461X	Shocks, GTR long hard-anodized, PTFE-coated bodies with TiN	3768	Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole
	shafts (assembled) (2) (without springs)		(2))
7462	Shocks, GTR xx-long blue-anodized, PTFE-coated bodies with	3758	Springs, front (black) (2)
	TiN shafts (fully assembled, without springs) (2)	3758T	
7462G	Shocks, GTR xx-long green-anodized, PTFE-coated bodies with		Springs, front (blue) (2)
74020	TiN shafts (fully assembled, without springs) (2)	3758A	Springs, front (green) (2)
7460V		3758P	Springs, front (pink) (2)
7462X	Shocks, GTR xx-long hard-anodized, PTFE-coated bodies with	6863	Springs, front (progressive, +10% rate, pink) (2)
	TiN shafts (assembled) (2) (without springs)	6864	Springs, front (progressive, +20% rate, blue) (2)
8459	Spring retainers, lower (captured) (4)/ 2.5x10 CS (4)	6862	Springs, front (progressive, -10% rate, green) (2)
7440	Spring, shock, white (GTR long) (0.623 rate orange) (1 pair)	6861	Springs, front (progressive, -20% rate, orange) (2)
7441	Spring, shock, white (GTR long) (0.653 rate green) (1 pair)		
7444	Spring, shock, white (GTR long) (0.767 rate black) (1 pair)	3758X	Springs, front (white) (2)
7445	Spring, shock, white (GTR long) (0.810 rate pink) (1 pair)	6857	Springs, front (white) (progressive rate) (2)
7448		3757	Springs, rear (black) (2)
	Spring, shock, white (GTR long) (0.892 rate blue) (1 pair)	3757T	Springs, rear (blue) (2)
7442	Spring, shock, white (GTR xx-long) (0.711 rate orange) (1 pair)	3757A	Springs, rear (green) (2)
7443	Spring, shock, white (GTR xx-long) (0.762 rate green) (1 pair)	3757P	Springs, rear (pink) (2)
7446	Spring, shock, white (GTR xx-long) (0.874 rate black) (1 pair)		
7447	Spring, shock, white (GTR xx-long) (0.884 rate pink) (1 pair)	6867	Springs, rear (progressive, +10% rate, pink) (2)
7449		6868	Springs, rear (progressive, +20% rate, blue) (2)
7449	Spring, shock, white (GTR xx-long) (1.004 rate blue) (1 pair)	6866	Springs, rear (progressive, -10% rate, green) (2)
	Shocks (Pro-level Aluminum)	6865	Springs, rear (progressive, -20% rate, orange) (2)
2001		3757X	Springs, rear (white) (2)
2664	Big Bore shock cylinder (long) (1)		1 0 , () , ()
2666	Big Bore shock cylinder (XX-long) (1)	6858	Springs, rear (white) (progressive rate) (2)
5862	Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum)	4957	Springs, red (for Ultra Shocks only) (2.5 rate) (f/r) (2)
	(assembled with TiN shafts and springs) (front & rear) (4)	3760	Ultra Shocks (black) (long) (complete w/ spring pre-load spacers
2660	Big Bore shocks (long) (hard-anodized & PTFE-coated T6		& springs) (front) (2)
2000	· • · · · · · · · · · · · · · · · · · ·	3762	Ultra Shocks (black) (xx-long) (complete w/ spring pre-load
	aluminum) (assembled with TiN shafts) w/o springs (front) (2)	0.02	
2662	Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6	.=	spacers & springs) (rear) (2)
	aluminum) (assembled with TiN shafts) w/o springs (rear) (2)	3760A	Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers &
2669	Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings		springs) (2)
	& washers (2) (Big Bore Shocks)	3762A	Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers &
2362	Rebuild kit, Ultra shocks (for 2 shocks)		springs) (rear) (2)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws		Slipper Clutch Components
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)	6893G	Slipper Clutch Components
	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws	6893G	Slipper Clutch Components Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6)	6893G	Slipper Clutch Components Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper
1942 2742X 2667	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2)		Slipper Clutch Components Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)
1942 2742X 2667 1664T	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2)	6893G 6893X	Signer Clutch Composits Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized)
1942 2742X 2667	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long)		Slipper Clutch Components Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)
1942 2742X 2667 1664T 2656T	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)		Signer Clutch Composits Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized)
1942 2742X 2667 1664T 2656T	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long)		Signer Oluteh Composition Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper
1942 2742X 2667 1664T 2656T	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)	6893X 6814	Simper Guitch Components Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete)
1942 2742X 2667 1664T 2656T	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2)	6893X 6814 6888	Signer Guitch Components Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ 4x3 GS (1)
2742X 2667 1664T 2656T 1664 2656 1765	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4)	6893X 6814 6888 6888X	Signer Guitch Composits Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ 4x3 GS (1) Drive hub, front, hardened steel (1)/ screw pin (1)
1942 2742X 2667 1664T 2656T 1664 2656 1765 1666	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Silicone shock oil (30 wt)	6893X 6814 6888	Simpler Guilen Composition Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ 4x3 GS (1) Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential (output gears (2)/ spider gears (2)/
2742X 2667 1664T 2656T 1664 2656 1765	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers:	6893X 6814 6888 6888X 6883	Signer Guiler Composition Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ 4x3 GS (1) Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)
1942 2742X 2667 1664T 2656T 1664 2656 1765 1666	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore	6893X 6814 6888 6888X	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ 4x3 GS (1) Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft) Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/
1942 2742X 2667 1664T 2656T 1664 2656 1765 1666 2668	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)	6893X 6814 6888 6888X 6883	Simper Outer Composits Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ 4x3 GS (1) Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)
1942 2742X 2667 1664T 2656T 1664 2656 1765 1666	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore	6893X 6814 6888 6888X 6883	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ 4x3 GS (1) Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential (output gears (2)/ spider gear shaft) Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)
1942 2742X 2667 1664T 2656T 1664 2656 1765 1666 2668	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)	6893X 6814 6888 6888X 6883 6884	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ 4x3 GS (1) Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft) Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4) Input shaft (slipper shaft)/ bearing adapter (1)/pin (1)
1942 2742X 2667 1664T 2656T 1664 2656 1765 1666 2668	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (progressive, +10% rate, pink) (2) Springs, front (progressive, +20% rate, blue) (2)	6893X 6814 6888 6888X 6883	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ 4x3 GS (1) Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential (output gears (2)/ spider gear shaft) Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4) Input shaft (slipper shaft)/ bearing adapter (1)/pin (1) Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum
1942 2742X 2667 1664T 2656T 1664 2656 1765 1666 2668 6863 6864 6862	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (progressive, +10% rate, pink) (2) Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -10% rate, green) (2)	6893X 6814 6888 6888X 6883 6884	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ 4x3 GS (1) Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential (output gears (2)/ spider gear shaft) Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4) Input shaft (slipper shaft)/ bearing adapter (1)/pin (1) Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL
1942 2742X 2667 1664T 2656T 1664 2656 1765 1666 2668 6863 6864 6862 6861	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (progressive, +10% rate, pink) (2) Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -20% rate, orange) (2)	6893X 6814 6888 6888X 6883 6884 6893 5352R	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ 4x3 GS (1) Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft) Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4) Input shaft (slipper shaft)/ bearing adapter (1)/pin (1) Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
1942 2742X 2667 1664T 2656T 1664 2656 1765 1666 2668 6863 6864 6862 6861 6857	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (progressive, +10% rate, pink) (2) Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -20% rate, orange) (2) Springs, front (white) (progressive rate) (2)	6893X 6814 6888 6888X 6883 6884	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ 4x3 GS (1) Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft) Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4) Input shaft (slipper shaft)/ bearing adapter (1)/pin (1) Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/
1942 2742X 2667 1664T 2656T 1664 2656 1765 1666 2668 6863 6864 6862 6861	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (progressive, +10% rate, pink) (2) Springs, front (progressive, -10% rate, green) (2) Springs, front (progressive, -20% rate, orange) (2) Springs, front (white) (progressive rate) (2) Springs, front (white) (progressive rate) (2) (fits #5862 aluminum	6893X 6814 6888 6888X 6883 6884 6893 5352R	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ 4x3 GS (1) Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft) Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4) Input shaft (slipper shaft)/ bearing adapter (1)/pin (1) Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)/
1942 2742X 2667 1664T 2656T 1664 2656 1765 1666 2668 6863 6864 6862 6861 6857	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (progressive, +10% rate, pink) (2) Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -20% rate, orange) (2) Springs, front (white) (progressive rate) (2)	6893X 6814 6888 6888X 6883 6884 6893 5352R	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ 4x3 GS (1) Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft) Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4) Input shaft (slipper shaft)/ bearing adapter (1)/pin (1) Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/
1942 2742X 2667 1664T 2656T 1664 2656 1765 1666 2668 6863 6864 6862 6861 6857	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (progressive, +10% rate, pink) (2) Springs, front (progressive, -10% rate, green) (2) Springs, front (progressive, -20% rate, orange) (2) Springs, front (white) (progressive rate) (2) Springs, front (white) (progressive rate) (2) (fits #5862 aluminum	6893X 6814 6888 6888X 6883 6884 6893 5352R	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ 4x3 GS (1) Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft) Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4) Input shaft (slipper shaft)/ bearing adapter (1)/pin (1) Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
1942 2742X 2667 1664T 2656T 1664 2656 1765 1666 2668 6863 6864 6862 6861 6857 5860	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (progressive, +10% rate, pink) (2) Springs, front (progressive, -10% rate, green) (2) Springs, front (white) (progressive rate) (2) Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (progressive, +10% rate, pink) (2)	6893X 6814 6888 6888X 6883 6884 6893 5352R 5352X 5552X	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ 4x3 GS (1) Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft) Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4) Input shaft (slipper shaft)/ bearing adapter (1)/pin (1) Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
1942 2742X 2667 1664T 2656T 1664 2656 1765 1666 2668 6863 6864 6862 6861 6857 5860 6867 6868	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Slicone diaphragms (4) Slilicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (progressive, +10% rate, pink) (2) Springs, front (progressive, -20% rate, blue) (2) Springs, front (white) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +20% rate, blue) (2)	6893X 6814 6888 6888X 6883 6884 6893 5352R 5352X 5552X 2554	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ 4x3 GS (1) Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft) Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4) Input shaft (slipper shaft)/ bearing adapter (1)/pin (1) Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm cap-head machine (hex drive) (6)
1942 2742X 2667 1664T 2656T 1664 2656 1765 1666 2668 6863 6864 6862 6861 6857 5860 6867 6868 6868	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (progressive, +10% rate, pink) (2) Springs, front (progressive, -20% rate, blue) (2) Springs, front (white) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, +20% rate, blue) (2)	6893X 6814 6888 6888X 6883 6884 6893 5352R 5352X 5552X 2554 6878	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ 4x3 GS (1) Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft) Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4) Input shaft (slipper shaft)/ bearing adapter (1)/pin (1) Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm cap-head machine (hex drive) (6) Slipper clutch, complete
1942 2742X 2667 1664T 2656T 1664 2656 1765 1666 2668 6863 6864 6862 6861 6857 5860 6867 6868 6868 6866 6866 6865	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (progressive, +10% rate, pink) (2) Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -20% rate, orange) (2) Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, -10% rate, green) (2)	6893X 6814 6888 6888X 6883 6884 6893 5352R 5352X 5552X 2554 6878 5556	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ 4x3 GS (1) Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft) Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4) Input shaft (slipper shaft)/ bearing adapter (1)/pin (1) Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm cap-head machine (hex drive) (6) Slipper clutch, complete Slipper pressure plate & hub (aluminum alloy)
1942 2742X 2667 1664T 2656T 1664 2656 1765 1666 2668 6863 6864 6862 6861 6857 5860 6867 6868 6868	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (progressive, +10% rate, pink) (2) Springs, front (progressive, -20% rate, blue) (2) Springs, front (white) (progressive rate) (2) Springs, front (white) (progressive rate) (2) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, +20% rate, blue) (2)	6893X 6814 6888 6888X 6883 6884 6893 5352R 5352X 5552X 2554 6878	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ 4x3 GS (1) Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft) Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4) Input shaft (slipper shaft)/ bearing adapter (1)/pin (1) Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm cap-head machine (hex drive) (6) Slipper clutch, complete
1942 2742X 2667 1664T 2656T 1664 2656 1765 1666 2668 6863 6864 6862 6861 6857 5860 6867 6868 6868 6866 6866 6865	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (progressive, +10% rate, pink) (2) Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -20% rate, orange) (2) Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, -10% rate, green) (2)	6893X 6814 6888 6888X 6883 6884 6893 5352R 5352X 5552X 2554 6878 5556	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ 4x3 GS (1) Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft) Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4) Input shaft (slipper shaft)/ bearing adapter (1)/pin (1) Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm cap-head machine (hex drive) (6) Slipper pressure plate & hub (alluminum alloy) Slipper pressure plate and hub (alloy)
1942 2742X 2667 1664T 2656T 1664 2656 1765 1666 2668 6863 6864 6862 6861 6857 5860 6867 6868 6866 6865 6865 6865	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Sliicone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (progressive, +10% rate, pink) (2) Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -10% rate, green) (2) Springs, front (white) (progressive rate) (2) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, -20% rate, prink) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (white) (progressive rate) (2)	6893X 6814 6888 6888X 6883 6884 6893 5352R 5352X 5552X 2554 6878 5556 5351	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ 4x3 GS (1) Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft) Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4) Input shaft (slipper shaft)/ bearing adapter (1)/pin (1) Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Screws, 3x6mm cap-head machine (hex drive) (6) Slipper clutch, complete Slipper pressure plate & hub (aluminum alloy) Slipper pressure plate and hub (alloy)
1942 2742X 2667 1664T 2656T 1664 2656 1765 1666 2668 6863 6864 6862 6861 6857 5860 6867 6868 6866 6865 6865 6865	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Slilcone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (progressive, +10% rate, pink) (2) Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -20% rate, orange) (2) Springs, front (white) (progressive rate) (2) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, +20% rate, pink) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (white) (progressive rate) (2)	6893X 6814 6888 6888X 6883 6884 6893 5352R 5352X 5552X 2554 6878 5556	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ 4x3 GS (1) Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft) Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4) Input shaft (slipper shaft)/ bearing adapter (1)/pin (1) Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm cap-head machine (hex drive) (6) Slipper pressure plate & hub (alluminum alloy) Slipper pressure plate and hub (alloy)
1942 2742X 2667 1664T 2656T 1664 2656 1765 1666 2668 6863 6864 6862 6861 6857 5860 6867 6868 6866 6865 6865 6865	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Sliicone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (progressive, +10% rate, pink) (2) Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -10% rate, green) (2) Springs, front (white) (progressive rate) (2) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, -20% rate, prink) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (white) (progressive rate) (2)	6893X 6814 6888 6888X 6883 6884 6893 5352R 5352X 5552X 2554 6878 5556 5351	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ 4x3 GS (1) Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft) Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4) Input shaft (slipper shaft)/ bearing adapter (1)/pin (1) Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm cap-head machine (hex drive) (6) Slipper clutch, complete Slipper pressure plate & hub (aluminum alloy) Slipper pressure plate and hub (alloy) Spuir Gears & Pinion Gears Gear, 11-T pinion (32-p) (steel)/ set screw
1942 2742X 2667 1664T 2656T 1664 2656 1765 1666 2668 6863 6864 6862 6861 6857 5860 6867 6868 6866 6865 6865 6858 5859	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Sliicone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (progressive, +10% rate, pink) (2) Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -10% rate, green) (2) Springs, front (white) (progressive rate) (2) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks)	6893X 6814 6888 6888X 6883 6884 6893 5352X 5352X 5552X 2554 6878 556 5351	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ 4x3 GS (1) Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft) Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4) Input shaft (slipper shaft)/ bearing adapter (1)/pin (1) Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm cap-head machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy) Slipper pressure plate and hub (alloy) Spur Gear, 11-T pinion (32-p) (steel)/ set screw Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel)/
1942 2742X 2667 1664T 2656T 1664 2656 1765 1666 2668 6863 6864 6862 6861 6857 5860 6867 6868 6868 6868 6865 6858 5859	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Sliicone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (progressive, +10% rate, pink) (2) Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -10% rate, green) (2) Springs, front (white) (progressive rate) (2) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, -10% rate, green) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (white) (progressive rate) (2) Springs, rear (white) (progressive rate) (2) (Springs, rear (white) (progressive rate) (3) (Springs, rear (white) (progressive rate) (4) (Springs, rear (white) (progressive rate) (5) (Springs, rear (white) (progressive rate) (6)	6893X 6814 6888 6888X 6883 6884 6893 5352R 5352X 5552X 2554 6878 5556 5351	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ 4x3 GS (1) Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft) Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4) Input shaft (slipper shaft)/ bearing adapter (1)/pin (1) Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm cap-head machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy) Slipper pressure plate & hub (aluminum alloy) Slipper pressure plate and hub (alloy) Silipper pressure plate and hub (alloy)
2742X 2667 1664T 2656T 1664 2656 1765 1666 2668 6863 6864 6862 6861 6857 5860 6867 6868 6868 6865 6858 5859	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Sliicone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (progressive, +10% rate, pink) (2) Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -20% rate, orange) (2) Springs, front (white) (progressive rate) (2) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, -20% rate, pink) (2) Springs, rear (white) (progressive rate) (3) Springs, rear (white) (progressive rate) (4) Springs, rear (white) (progressive rate) (5) Springs, rear (white) (progressive rate) (6) Spot, Ultra Shock(s) (long) (grey) (2)	6893X 6814 6888 6888X 6883 6884 6893 5352X 5352X 5552X 2554 6878 556 5351	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ 4x3 GS (1) Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft) Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4) Input shaft (slipper shaft)/ bearing adapter (1)/pin (1) Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm cap-head machine (hex drive) (6) Slipper clutch, complete Slipper pressure plate & hub (aluminum alloy) Slipper pressure plate & hub (aluminum alloy) Slipper pressure plate and hub (alloy) Spuir Gears & Pinion Gears Gear, 11-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)/
1942 2742X 2667 1664T 2656T 1664 2656 1765 1666 2668 6863 6864 6862 6861 6857 5860 6867 6868 6865 6858 5859	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (progressive, +10% rate, pink) (2) Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -20% rate, orange) (2) Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, -10% rate, green) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (white) (progressive rate) (2)	6893X 6814 6888 6888X 6883 6884 6893 5352R 5352X 5552X 2554 6878 5556 5351 6747 3942X 3943X	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ 4x3 GS (1) Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft) Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4) Input shaft (slipper shaft)/ bearing adapter (1)/pin (1) Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Screws, 3x6mm cap-head machine (hex drive) (6) Slipper clutch, complete Slipper pressure plate & hub (aluminum alloy) Slipper pressure plate and hub (alloy) SIUIT GEATS & PINION GEATS Gear, 11-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
2742X 2667 1664T 2656T 1664 2656 1765 1666 2668 6863 6864 6862 6861 6857 5860 6867 6868 6868 6865 6858 5859	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Sliicone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (progressive, +10% rate, pink) (2) Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -20% rate, orange) (2) Springs, front (white) (progressive rate) (2) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, -20% rate, pink) (2) Springs, rear (white) (progressive rate) (3) Springs, rear (white) (progressive rate) (4) Springs, rear (white) (progressive rate) (5) Springs, rear (white) (progressive rate) (6) Spot, Ultra Shock(s) (long) (grey) (2)	6893X 6814 6888 6888X 6883 6884 6893 5352R 5352X 5552X 2554 6878 5556 5351	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ 4x3 GS (1) Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft) Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4) Input shaft (slipper shaft)/ bearing adapter (1)/pin (1) Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm cap-head machine (hex drive) (6) Slipper clutch, complete Slipper pressure plate & hub (aluminum alloy) Slipper pressure plate and hub (alloy) Spill Gears & Pinion Gears Gear, 11-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)/
1942 2742X 2667 1664T 2656T 1664 2656 1765 1666 2668 6863 6864 6862 6861 6857 5860 6867 6868 6865 6858 5859	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (progressive, +10% rate, pink) (2) Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -20% rate, orange) (2) Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, -10% rate, green) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (white) (progressive rate) (2)	6893X 6814 6888 6888X 6883 6884 6893 5352R 5352X 5552X 2554 6878 5556 5351 6747 3942X 3943X	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ 4x3 GS (1) Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft) Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4) Input shaft (slipper shaft)/ bearing adapter (1)/pin (1) Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Screws, 3x6mm cap-head machine (hex drive) (6) Slipper clutch, complete Slipper pressure plate & hub (aluminum alloy) Slipper pressure plate and hub (alloy) SIUIT GEATS & PINION GEATS Gear, 11-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
1942 2742X 2667 1664T 2656T 1664 2656 1765 1666 2668 6863 6864 6862 6861 6857 5860 6867 6868 6866 6865 6858 5859	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (progressive, +10% rate, pink) (2) Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -10% rate, green) (2) Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, -10% rate, green) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (white) (progressive rate) (2) Springs, rear (white) (white) (white) (6893X 6814 6888 6888X 6883 6884 6893 5352X 5552X 2554 6878 5556 5351 6747 3942X 3943X 3944X	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ 4x3 GS (1) Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft) Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4) Input shaft (slipper shaft)/ bearing adapter (1)/pin (1) Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm cap-head machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy) Slipper pressure plate & hub (aluminum alloy) Slipper pressure plate and hub (alloy) Spur Gears & Pinion Gears Gear, 11-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
1942 2742X 2667 1664T 2656T 1664 2656 1765 1666 2668 6863 6864 6862 6861 6857 5860 6867 6868 6865 6858 5859	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Sliicone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (progressive, +10% rate, pink) (2) Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -10% rate, green) (2) Springs, front (white) (progressive rate) (2) Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (white) (progressive rate) (3) Springs, rear (white) (progressive rate) (4) Springs, rear (white) (progressive rate) (5) Springs, rear (white) (progressive rate) (6) Springs, rear (white) (progressive rate) (6) Springs, rear (white) (progressive rate) (7) Springs, rear (white) (9) Springs, rear	6893X 6814 6888 6888X 6883 6884 6893 5352R 5352X 5552X 2554 6878 5556 5351 6747 3942X 3943X	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ 4x3 GS (1) Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft) Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4) Input shaft (slipper shaft)/ bearing adapter (1)/pin (1) Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm cap-head machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy) Slipper pressure plate & hub (aluminum alloy) Slipper pressure plate and hub (alloy) Spring (2)/ set screw Gear, 11-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)/
1942 2742X 2667 1664T 2656T 1664 2656 1765 1666 2668 6863 6864 6862 6861 6857 5860 6867 6868 6865 6858 5859 3642 3765A 3766A 2362 1942 2742X	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Sliicone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (progressive, +10% rate, pink) (2) Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -10% rate, green) (2) Springs, front (white) (progressive rate) (2) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (progressive, +20% rate, pink) (2) Springs, rear (progressive, +20% rate, pink) (2) Springs, rear (progressive, -10% rate, green) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (white) (progressive rate) (3) Attachment screws, shock (3x12mm shoulder screws) (6) Body, Ultra Shock(s) (VXL) (grey) (2) Rebuild kit, Ultra shocks (for 2 shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6)	6893X 6814 6888 6888X 6883 6884 6893 5352X 5352X 5552X 2554 6878 5556 5351 6747 3942X 3943X 3944X 3945X	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ 4x3 GS (1) Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft) Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4) Input shaft (slipper shaft)/ bearing adapter (1)/pin (1) Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm cap-head machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy) Slipper pressure plate and hub (alloy) Silipper pressure plate and hub (alloy) Silipper pressure plate and hub (alloy) Gear, 11-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
1942 2742X 2667 1664T 2656T 1664 2656 1765 1666 2668 6863 6864 6862 6861 6857 5860 6867 6868 6868 6865 6858 5859 3642 3765A 3766A 2362 1942 2742X 3767	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (progressive, +10% rate, pink) (2) Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -20% rate, orange) (2) Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, -10% rate, green) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (white) (progressive rate) (2) Rebuild kit, Ultra shocks) (for 2 shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps (2)/ shock bottoms (2)	6893X 6814 6888 6888X 6883 6884 6893 5352X 5552X 2554 6878 5556 5351 6747 3942X 3943X 3944X	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ 4x3 GS (1) Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft) Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4) Input shaft (slipper shaft)/ bearing adapter (1)/pin (1) Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Screws, 3x6mm cap-head machine (hex drive) (6) Slipper clutch, complete Slipper pressure plate & hub (aluminum alloy) Slipper pressure plate and hub (alloy) SIUIT GEAT'S & PINION GEAT'S Gear, 11-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)/
1942 2742X 2667 1664T 2656T 1664 2656 1765 1666 2668 6863 6864 6862 6861 6857 5860 6867 6868 6865 6858 5859 3642 3765A 3766A 2362 1942 2742X	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Sliicone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (progressive, +10% rate, pink) (2) Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -10% rate, green) (2) Springs, front (white) (progressive rate) (2) Springs, rear (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (progressive, +20% rate, pink) (2) Springs, rear (progressive, +20% rate, pink) (2) Springs, rear (progressive, -10% rate, green) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (white) (progressive rate) (3) Attachment screws, shock (3x12mm shoulder screws) (6) Body, Ultra Shock(s) (VXL) (grey) (2) Rebuild kit, Ultra shocks (for 2 shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6)	6893X 6814 6888 6888X 6883 6884 6893 5352R 5352X 5552X 2554 6878 5556 5351 6747 3942X 3943X 3944X 3945X 3946X	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ 4x3 GS (1) Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4) Input shaft (slipper shaft)/ bearing adapter (1)/pin (1) Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 6.0mm NL (1)/ 5.0mm NL (1)/ 5.0
1942 2742X 2667 1664T 2656T 1664 2656 1765 1666 2668 6863 6864 6862 6861 6857 5860 6867 6868 6868 6865 6858 5859 3642 3765A 3766A 2362 1942 2742X 3767	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (progressive, +10% rate, pink) (2) Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -20% rate, orange) (2) Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, -10% rate, green) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (white) (progressive rate) (2) Rebuild kit, Ultra shocks) (for 2 shocks) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps (2)/ shock bottoms (2)	6893X 6814 6888 6888X 6883 6884 6893 5352X 5352X 5552X 2554 6878 5556 5351 6747 3942X 3943X 3944X 3945X	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/4x3 GS (1) Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft) Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4) Input shaft (slipper shaft)/ bearing adapter (1)/pin (1) Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm cap-head machine (hex drive) (6) Slipper clutch, complete Slipper pressure plate & hub (aluminum alloy) Slipper pressure plate & hub (aluminum alloy) Slipper pressure plate & hub (aluminum alloy) Slipper pressure plate and hub (alloy) Slipper pressure plate & hub (aluminum, hardened steel)/ set screw Gear, 11-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)/
1942 2742X 2667 1664T 2656T 1664 2656 1765 1666 2668 6863 6864 6862 6861 6857 5860 6867 6868 6866 6865 6858 5859 3642 3765A 3766A 2362 1942 2742X 3767 3767A	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) Rod ends, short (6)/ hollow balls (6) Shock caps, aluminum (Big Bore Shocks) (2) Shock shafts, hardened steel, titanium nitride coated (long) (2) Shock shafts, hardened steel, titanium nitride coated (xx-long) (2) Shock shafts, steel, chrome finish (long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Shock shafts, steel, chrome finish (xx-long) (2) Silicone diaphragms (4) Silicone shock oil (30 wt) Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks) Springs, front (progressive, +10% rate, pink) (2) Springs, front (progressive, +20% rate, blue) (2) Springs, front (progressive, -10% rate, green) (2) Springs, front (white) (progressive rate) (2) (fits #5862 aluminum Big Bore shocks) Springs, rear (progressive, +10% rate, pink) (2) Springs, rear (progressive, +20% rate, blue) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (progressive, -20% rate, orange) (2) Springs, rear (white) (progressive rate) (2) Springs, re	6893X 6814 6888 6888X 6883 6884 6893 5352R 5352X 5552X 2554 6878 5556 5351 6747 3942X 3943X 3944X 3945X 3946X	Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft) Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft) Differential kit, center (complete) Drive hub, center, rear (1)/ 4x3 GS (1) Drive hub, front, hardened steel (1)/ screw pin (1) Gear set, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4) Input shaft (slipper shaft)/ bearing adapter (1)/pin (1) Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1)) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 6.0mm NL (1)/ 5.0mm NL (1)/ 5.0

Page 5 Stampede® 4X4 Unassembled Kit (Mo	odel 67014-4) Parts List
--	--------------------------

Page 5	Stampede® 4X4 Unassembled Kit (Model 67014-4)	Parts L	ıst
3948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/		Tires & Wheels
3949X	set screw Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)/	5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
3950X	set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)/	5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856) #6469)
	set screw	3647 1747R	Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
3951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw	1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
3952X	Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)/	1747P 1985	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4) PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
6745	set screw Gear, 9-T pinion (32-p) (steel)/ set screw	1647	Silicone grease
6842	Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch)	2754	Stub axle pins (4)
6842R	Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)	4175	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (nitro rear/ 4WD electric front/rear) (2) (TSM rated)
6843 6843R	Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch) Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)	3669A	Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (front/rear, Stampede 4x4) (2)
3956 3956R	Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch) Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch)	3669	Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels Talon tires, foam inserts) (front/rear, Stampede 4x4) (2)
3956X	(requires #6814 center differential) Spur gear, steel, 54-tooth (0.8 metric pitch, compatible with 32-	6771	Tires and wheels, assembled, glued 2.8" (All-Star chrome wheels, Maxx® tires, foam inserts) (2)
	pitch) (requires #6780 center differential)	6770 3674	Tires, Maxx® 2.8" (2)/ foam inserts (2)
	Steering Components	3671 1654	Tires, Talon 2.8" (2)/ foam inserts (2) Wheel hubs, hex (rear) (2)/ stub axle pins (2)
1552	Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/wrench	1654X	Wheel hubs, hex (blue-anodized, lightweight aluminum) (2)/ axlo
5114	Ball bearings, blue rubber sealed (5x8x2.5mm) (2)	6856X	pins(4) Wheel hubs, splined, 17mm, short (4)/ wheel nuts, splined, 17m
2545	Bellcrank bushings (plastic) (5x8x2.5mm) (4)	000021	(4) (blue-anodized)/ hub retainer M4 X 0.7 (4)/ axle pin (4)/
6845A	Drag link, machined 6061-T6 aluminum (blue-anodized)		wrench, 5mm
6845G 6845T	Drag link, machined 6061-T6 aluminum (green-anodized) Drag link, machined 6061-T6 aluminum (orange-anodized)	5353 5480X	Wheel nuts, splined, 17mm (blue-anodized) (4) Wheel wrench, splined, 17mm
6845R	Drag link, machined 6061-T6 aluminum (red-anodized)	5576A	Wheels, All-Star 2.8" (black chrome) (front/rear, Stampede 4x4)
2072A	Gear set (for 2070, 2075 servos)		(2)
2072X	Gear set, metal (for 2070, 2075 servos)	5576	Wheels, All-Star 2.8" (chrome) (Stampede 4x4 front or rear) (2)
2072R	Gear set, metal, high speed (for 2070, 2075 servos)	5572	Wheels, Twin-Spoke 2.8" (chrome) (front/rear, Stampede 4x4) (2
846	Linkage, steering (3x20mm turnbuckle) (1)/ rod ends (2)/ hollow balls (2)		Traxxas Tools
2742	Rod ends, long (6)/ hollow ball connectors (6)	3433X	Body reamer (aluminum handle)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)	3433	Body reamer (plastic handle)
2053	Servo gears (for 2055, 2056 servos)	3436 3432	Cap, body reamer Scissors, curved tip
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof	3432	Scissors, straight tip
2075 2075X	Servo, digital high-torque (ball bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof	8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes
2056	Servo, high-torque, waterproof (blue case) Steering bellcranks/ servo saver/ servo saver spring/ servo spring		premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,
6845X	retainer/servo horn, steering		and 8.0mm), 1/4" drive
2746	Washers, 3x6mm metal (12)	8721	Speed bit handle, medium (one piece)
	Suspension Linkage	8720 8722	Speed bit handle, premium, large (rubber overmold) Speed bit handle, premium, medium (rubber overmold)
8641A	Camber link set (plastic / non-adjustable) (front & rear) (grey)	8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes
3641 3643X	Camber link set (plastic/ non-adjustable) (front & rear) (black) Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum		premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm,
3643G	wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum,	8711	7.00mm, 8.00mm), Speed Bit Master Set, hex driver, 7-piece straight and ball end,
3643R	stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum,		includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
3043K	stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1)	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm,
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)	8716	5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum	8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
3644R	wrench (1) Camber links, rear (TUBES red-anodized, 7075-T6 aluminum,	8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
	stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
525	Rod ends (12)/ hollow balls (12)	3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
834	Suspension pin set, complete (front and rear)		3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips
537 644	Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw Turnbuckles, camber link, 39mm (69mm center to center)		#0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenc driver handle
3643	(assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, camber link, 49mm (82mm center to center)		Turnbuckles & Threaded Rods
5539	(assembled with rod ends and hollow balls) (1 left, 1 right) Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)	3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1)
	Team Traxxas Items Decal sheet, racing sponsors	3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum
2517			
2514 6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)	3643R	wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum,

Page 6 Stampede® 4X4 Unassembled Kit (Model 67014-4) Parts List

3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)
3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1)
5525	Rod ends (12)/ hollow balls (12)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
5539	Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM