



Sledge™ (Model 95076-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

- 4889X Ball bearings, black rubber sealed (10x19x5mm) (2)
- 5114A Ball bearings, black rubber sealed (5x8x2.5mm) (2)
- 5180A Ball bearings, black rubber sealed (6x13x5mm) (2)
- 5118A Ball bearings, black rubber sealed (8x16x5mm) (2)
- 5105 Ball bearings, blue rubber sealed (6x10x3mm) (2)

Body & Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 9510 Body reinforcement set, black/ skid pads (roof) (fits #9511 body)
- 9510X Body reinforcement set, blue/ skid pads (roof) (fits #9511 body)**
- 9510G Body reinforcement set, green/ skid pads (roof) (fits #9511 body)**
- 9510T Body reinforcement set, orange/ skid pads (roof) (fits #9511 body)**
- 9510R Body reinforcement set, red/ skid pads (roof) (fits #9511 body)**
- 9513X Body support (assembled with front mount & rear latch)/ skid pads (roof) (left & right)
- 9513 Body support, center/ 3x16 CS (8)
- 9511 Body, Sledge™ (clear, requires painting)/ window, grille, lights decal sheet**
- 9511A Body, Sledge™, blue/ window, grille, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting)
- 9511G Body, Sledge™, green/ window, grille, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting)
- 9511T Body, Sledge™, orange/ window, grille, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting)
- 9511X Body, Sledge™, ProGraphix® (graphics are printed, requires paint & final color application)/ window, grille, lights decal sheet**
- 9511R Body, Sledge™, red/ window, grille, lights decal sheet (assembled with front & rear body mounts and rear body support for clipless mounting)
- 2514 Decal sheet, racing sponsors
- 9950 Official Team Traxxas® racing decal set (flag logo/ 6-color)**

Bumpers & Skidplates

- 9535 Bumper, front/ skidplate, front/ tie bar mount, front/ 3x25 CS (2)
- 9536 Bumper, rear/ skidplate, rear/ tie bar mount, rear/ 3x25 CS (2)

Chassis & Attachments

- 9514 Body mount, front
- 9515 Body mount, rear/ shock guard (body retainer), front
- 9624 Box, receiver (sealed) w/ ESC mount/ receiver box cover/ access plug/ foam pads/ silicone grease/ 2.5x10 CS (2)/ 3x10 BCS (1)
- 9523 Chassis brace (T-Bar), 6061-T6 aluminum (black-anodized)/ 3x16 SS (2)**
- 9523X Chassis brace (T-Bar), 6061-T6 aluminum (blue-anodized)/ 3x16 SS (2)
- 9523A Chassis brace (T-Bar), 6061-T6 aluminum (gray-anodized)/ 3x16 SS (2)**
- 9523G Chassis brace (T-Bar), 6061-T6 aluminum (green-anodized)/ 3x16 SS (2)**
- 9523T Chassis brace (T-Bar), 6061-T6 aluminum (orange-anodized)/ 3x16 SS (2)**
- 9523R Chassis brace (T-Bar), 6061-T6 aluminum (red-anodized)/ 3x16 SS (2)**
- 9520 Chassis brace, front/ 4x15 CCS (2)
- 9521 Chassis braces (rear (1), rear tower (2))/ 4x15 CCS (2)
- 9522 Chassis, aluminum (blue-anodized)
- 9627 Hold down, battery
- 9516 Latch, body mount, rear
- 9628 Retainer, battery hold-down (front and rear) (1 each)
- 9625 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 9539 Shock tower, front, 6061-T6 aluminum (blue-anodized)
- 9539A Shock tower, front, 6061-T6 aluminum (gray-anodized)**
- 9539G Shock tower, front, 6061-T6 aluminum (green-anodized)**
- 9539T Shock tower, front, 6061-T6 aluminum (orange-anodized)**
- 9539R Shock tower, front, 6061-T6 aluminum (red-anodized)**
- 9538 Shock tower, rear, 6061-T6 aluminum (blue-anodized)
- 9538A Shock tower, rear, 6061-T6 aluminum (gray-anodized)**
- 9538G Shock tower, rear, 6061-T6 aluminum (green-anodized)**
- 9538T Shock tower, rear, 6061-T6 aluminum (orange-anodized)**
- 9538R Shock tower, rear, 6061-T6 aluminum (red-anodized)**
- 9524 Side guards, chassis (left and right)/ 3x8 CCS (10)
- 9527 Tie bars, front, 6061-T6 aluminum (blue-anodized)

- 9528 Tie bars, rear, 6061-T6 aluminum (blue-anodized)
- 9626 Tray, battery
- 9518 Wing mount
- 9517 Wing/ wing washer
- 9517X Wing/ wing washer (blue)**
- 9517G Wing/ wing washer (green)**
- 9517T Wing/ wing washer (orange)**
- 9517R Wing/ wing washer (red)**
- 9517A Wing/ wing washer (white)**

Differential Components

- 4889X Ball bearings, black rubber sealed (10x19x5mm) (2)
- 9581 Carrier, differential/ differential bushing (metal)/ o-rings (2)/ ring gear gasket
- 8680 Differential gasket/ x-rings (2)/ 12.2x18x0.5 metal washer (1)/ 12.2x18x0.5 PTFE-coated washer (1)
- 5136X Differential oil kit (50cc of 1 each: 10K, 30K, 50K weights)**
- 9583 Differential output cup, front or rear (hardened steel)/ 2.5x12mm pin
- 9586 Differential output cup, center (hardened steel)/ 2.5x12mm pin
- 9585 Differential, center (complete) (fits Sledge™)
- 9580 Differential, front or rear, complete (fits Sledge™)
- 9587 Drive cup, front or rear (hardened steel) (for differential pinion gear)/ driv eshaft boots (2)/ boot retainers (2)
- 9582 Gear set, differential (output gears (2)/ spider gears (4)/ spider gear shafts (2)/ spacers (4))
- 9584 Mount, center differential
- 5130 Oil, differential (100K wt) (0.7 oz (20cc))**
- 5135 Oil, differential (10K wt, 50cc)**
- 5040 Oil, differential (20M wt) (standard)
- 5136 Oil, differential (30K wt, 50cc)**
- 5137 Oil, differential (50K wt, 50cc)
- 9579 Ring gear, differential/ pinion gear, differential
- 9579R Ring gear, differential/ pinion gear, differential (machined) (front or rear)**

Driveline Components

- 9559 Boots, driv eshaft (2)/ retainer (assembled) (2)
- 9552 Carriers, stub axle (left and right)
- 9555 Driv eshaft, center, front (shaft only, 4mm x 88mm) (1)
- 9556 Driv eshaft, center, rear (shaft only, 4mm x 146.5mm) (1)
- 9558 Driv eshaft, front, steel constant-velocity (shaft only, 5mm x 133.5mm) (1)
- 9557 Driv eshaft, rear (shaft only, 5mm x 131mm) (1) (for use only with #9554 stub axle)
- 9550 Driv eshaft, steel constant-velocity (assembled), front (1)
- 9551 Rebuild kit, steel constant-velocity driv eshaft (includes pins for 2 driv eshaft assemblies) (for #9550 front or #9654X rear steel CV driv eshafts)
- 9553 Stub axle, front
- 9554 Stub axle, rear (for use only with #9557 rear driv eshaft)
- 8654 Wheel hubs, splined, 17mm (blue-anodized) (4)/ 4x5 GS (4)/ 3x14mm pin (4)
- 8654G Wheel hubs, splined, 17mm (green-anodized) (4)/ 4x5 GS (4)/ 3x14mm pin (4)**
- 8654A Wheel hubs, splined, 17mm (orange-anodized) (4)/ 4x5 GS (4)/ 3x14mm pin (4)**
- 8654R Wheel hubs, splined, 17mm (red-anodized) (4)/ 4x5 GS (4)/ 3x14mm pin (4)**
- 7758A Wheel nuts, splined, 17mm, serrated (black-anodized) (4)**
- 7758 Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)**
- 7758G Wheel nuts, splined, 17mm, serrated (green-anodized) (4)**
- 7758T Wheel nuts, splined, 17mm, serrated (orange-anodized) (4)**
- 7758R Wheel nuts, splined, 17mm, serrated (red-anodized) (4)**

Front Suspension

- 9547 Camber links, front (2) (assembled with hollow balls)
- 9532 Caster blocks (c-hub), left & right/ kingpin bushings (4)
- 9598 Linkage, sway bar (front or rear)**
- 9597 Mounts, sway bar/ collars (front and rear)**
- 9539 Shock tower, front, 6061-T6 aluminum (blue-anodized)
- 9539A Shock tower, front, 6061-T6 aluminum (gray-anodized)**
- 9539G Shock tower, front, 6061-T6 aluminum (green-anodized)**
- 9539T Shock tower, front, 6061-T6 aluminum (orange-anodized)**
- 9539R Shock tower, front, 6061-T6 aluminum (red-anodized)**
- 9537 Steering blocks, left & right/ M4x0.7 NL (4)
- 9526 Steering link (30mm) (1)/ hollow balls (2)
- 9633 Suspension arm covers, black, front (left and right)/ 2.5x8 CCS (12)

Page 2 Sledge™: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 95076-4) Parts List

9633X	Suspension arm covers, blue, front (left and right)/ 2.5x8 CCS (12)
9633G	Suspension arm covers, green, front (left and right)/ 2.5x8 CCS (12)
9633T	Suspension arm covers, orange, front (left and right)/ 2.5x8 CCS (12)
9633R	Suspension arm covers, red, front (left and right)/ 2.5x8 CCS (12)
9531	Suspension arm, front (left), black
9531X	Suspension arm, front (left), blue
9531G	Suspension arm, front (left), green
9531T	Suspension arm, front (left), orange
9531R	Suspension arm, front (left), red
9530	Suspension arm, front (right), black
9530X	Suspension arm, front (right), blue
9530G	Suspension arm, front (right), green
9530T	Suspension arm, front (right), orange
9530R	Suspension arm, front (right), red
9540	Suspension pin set, front & rear (hardened steel), 4x67mm (4), 3.5x48.2mm (2), 3.5x56.7mm (2)/ M3x0.5mm NL, flanged (2)
9541	Suspension pins, inner, front or rear, 4x67mm (hardened steel) (2)
9542	Suspension pins, outer, front, 3.5x48.2mm (hardened steel) (2)/ M3x0.5mm NL, flanged (2)
9595	Sway bar kit, Sledge™ (front and rear) (includes front and rear sway bars and linkage)
9596	Sway bar set, Sledge™ (includes 1 each of all 6 sway bars)
9527	Tie bars, front, 6061-T6 aluminum (blue-anodized)

Hardware

1552	Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench
2585	Cylinder head bolts, marine 3x20mm CS (6) (TRX 2.5)
9591	Hardware, motor mount, Sledge™
2584	Head screws, 3x12mm cap-head machine (hex drive) (6) (TRX 2.5, 2.5R, 3.3)
2586	Head screws, 3x15mm cap-head machine (hex drive) (6) (TRX 2.5)
9564	Mount, shock (steel) (2)
2745X	Nuts, 3mm nylon locking, black (8)
2744X	Nuts, 3mm nylon locking, flanged, black (8)
3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
4859	Screws, 3x10mm flat-head machine (hex drive) (4)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2553	Screws, 3x15mm countersunk machine (hex drive) (6)
2583X	Screws, 3x18mm cap-head machine (hex drive) (6)
2581	Screws, 3x25mm button-head machine (hex drive) (6)
2581X	Screws, 3x25mm cap-head machine (hex drive) (6)
4858	Screws, 3x25mm countersunk machine (hex drive) (6)
9682	Screws, 3x45mm cap-head machine (hex drive) (6)
2550	Screws, 3x8mm countersunk machine (6) (hex drive)
3937	Screws, 4x12mm button-head machine (hex drive) (6)
2542	Screws, 4x12mm countersunk machine (hex drive) (6)
2546	Screws, 4x15mm countersunk machine (hex drive) (6)
3933	Screws, 4x16mm button-head machine (hex drive) (6)
2589	Screws, 4x20mm button-head machine (hex drive) (6)
2596	Screws, 4x25mm button-head machine (hex drive) (6)
2595	Screws, 4x35mm button-head machine (hex drive) (6)
3939	Screws, 4x6mm button-head machine (hex drive) (with threadlock) (6)
1548	Set (grub) screws, 3x4mm (8)/ 4x4mm (stainless) (4)
9588	Shoulder screws, 3x16mm (2)
9540	Suspension pin set, front & rear (hardened steel), 4x67mm (4), 3.5x48.2mm (2), 3.5x56.7mm (2)/ M3x0.5mm NL, flanged (2)
9541	Suspension pins, inner, front or rear, 4x67mm (hardened steel) (2)
9542	Suspension pins, outer, front, 3.5x48.2mm (hardened steel) (2)/ M3x0.5mm NL, flanged (2)
9543	Suspension pins, outer, rear, 3.5x56.7mm (hardened steel) (2)/ M3x0.5mm NL, flanged (2)

Motors & Electronics

3475	Cooling fan, Velineon® VXL ESC (fits VXL-6s & VXL-8s)
9590	Gear adapter, fixed (A)/ motor mount spacer
2277	Gear set, metal (for 2275 servo)
9591	Hardware, motor mount, Sledge™
9589	Motor mount, aluminum (upper and lower)/ motor mount spacer/ hardware
3483	Motor, 2000Kv 77mm, brushless (with 6.5mm gold-plated connectors & high-efficiency heatsink)
2278	Servo case, aluminum (black-anodized) (middle) (for 2275 servo)
2276	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2275 servo)
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2275	Servo, digital high-torque, metal gear (ball bearing), waterproof

3485T	Velineon® VXL-6s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
-------	---

Radio System, Batteries & Chargers

2872X	5000mAh 11.1v 3-Cell 25C LiPo Battery
2842X	5000mAh 7.4v 2-Cell 25C LiPo Battery
2843X	5800mAh 7.4v 2-Cell 25C LiPo Battery
2869X	7600mAh 7.4v 2-Cell 25C LiPo Battery
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2943	Battery charge indicators (green (4), blue (4), gray (4))
6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
2914	Battery, Power Cell AA Alkaline (4)
2991	Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo battery (2))
2990	Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2872X 5000mAh 11.1V 3-cell 25C LiPo battery (2))
2998	Battery/charger completer pack (includes #2981 iD® charger (1), #2890X 6700mAh 14.8V 4-cell 25C LiPo battery (1))
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
6525	Communication link, telemetry expander
6566	Data Link cable, telemetry expander (connects #6550X telemetry expander 2.0 to the #3485 VXL-6s or #3496 VXL-8s electronic speed control)
2277	Gear set, metal (for 2275 servo)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526	Sensor, auto-detectable, temperature
6527	Sensor, auto-detectable, voltage
6521	Sensor, temperature and voltage (long)
2278	Servo case, aluminum (black-anodized) (middle) (for 2275 servo)
2276	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2275 servo)
2275	Servo, digital high-torque, metal gear (ball bearing), waterproof
6553X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system
6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
6528	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only)
6529	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)
6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas Link™ Wireless Module

Ready-To-Race Model

95076-4	Sledge™: 1/8 Scale 4WD Brushless Electric Monster Truck with TQi 2.4GHz Traxxas Link™ Enabled Radio System and Traxxas Stability Management (TSM)®
---------	--

Rear Suspension

9529	Bulkhead, front or rear
9548	Camber links, rear (2) (assembled with hollow balls)
9598	Linkage, sway bar (front or rear)
9597	Mounts, sway bar/ collars (front and rear)
9519	Mud guards, rear (left and right)/ 3x15 CCS (2)/ 3x25 CCS (2)
9519X	Mud guards, rear, blue (left and right)/ 3x15 CCS (2)/ 3x25 CCS (2)
9519G	Mud guards, rear, green (left and right)/ 3x15 CCS (2)/ 3x25 CCS (2)

Page 3 Sledge™: TQi Traxxas Link Enabled 2.4GHz Radio & TSM (Model 95076-4) Parts List

9519T	Mud guards, rear, orange (left and right)/ 3x15 CCS (2)/ 3x25 CCS (2)
9519R	Mud guards, rear, red (left and right)/ 3x15 CCS (2)/ 3x25 CCS (2)
9538	Shock tower, rear, 6061-T6 aluminum (blue-anodized)
9538A	Shock tower, rear, 6061-T6 aluminum (gray-anodized)
9538G	Shock tower, rear, 6061-T6 aluminum (green-anodized)
9538T	Shock tower, rear, 6061-T6 aluminum (orange-anodized)
9538R	Shock tower, rear, 6061-T6 aluminum (red-anodized)
9634	Suspension arm covers, black, rear (left and right)/ 2.5x8 CCS (12)
9634X	Suspension arm covers, blue, rear (left and right)/ 2.5x8 CCS (12)
9634G	Suspension arm covers, green, rear (left and right)/ 2.5x8 CCS (12)
9634T	Suspension arm covers, orange, rear (left and right)/ 2.5x8 CCS (12)
9634R	Suspension arm covers, red, rear (left and right)/ 2.5x8 CCS (12)
9534	Suspension arm, rear (left), black
9534X	Suspension arm, rear (left), blue
9534G	Suspension arm, rear (left), green
9534T	Suspension arm, rear (left), orange
9534R	Suspension arm, rear (left), red
9533	Suspension arm, rear (right), black
9533X	Suspension arm, rear (right), blue
9533G	Suspension arm, rear (right), green
9533T	Suspension arm, rear (right), orange
9533R	Suspension arm, rear (right), red
9540	Suspension pin set, front & rear (hardened steel), 4x67mm (4), 3.5x48.2mm (2), 3.5x56.7mm (2)/ M3x0.5mm NL, flanged (2)
9541	Suspension pins, inner, front or rear, 4x67mm (hardened steel) (2)
9543	Suspension pins, outer, rear, 3.5x56.7mm (hardened steel) (2)/ M3x0.5mm NL, flanged (2)
9595	Sway bar kit, Sledge™ (front and rear) (includes front and rear sway bars and linkage)
9596	Sway bar set, Sledge™ (includes 1 each of all 6 sway bars)
9528	Tie bars, rear, 6061-T6 aluminum (blue-anodized)

Shock Oil

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
5038	Spinning carousel rack

Shocks (GT-Maxx®)

8965X	Body, GT-Maxx® shock (aluminum, blue-anodized) (1)
9665X	Body, GT-Maxx® shock (aluminum, blue-anodized) (long) (1)
8965G	Body, GT-Maxx® shock (aluminum, green-anodized) (1)
9665G	Body, GT-Maxx® shock (aluminum, green-anodized) (long) (1)
8965T	Body, GT-Maxx® shock (aluminum, orange-anodized) (1)
9665T	Body, GT-Maxx® shock (aluminum, orange-anodized) (long) (1)
8965R	Body, GT-Maxx® shock (aluminum, red-anodized) (1)
9665R	Body, GT-Maxx® shock (aluminum, red-anodized) (long) (1)
8962	Rebuild kit, GT-Maxx® shocks (lower cartridge, assembled, pistons, piston nuts, bladders) (renews 2 shocks)
9664A	Shock caps, aluminum (black-anodized), GTX shocks (4)/ spacers (4) (for Sledge™)
9664X	Shock caps, aluminum (blue-anodized), GTX shocks (4)/ spacers (4) (for Sledge™)
9664G	Shock caps, aluminum (green-anodized), GTX shocks (4)/ spacers (4) (for Sledge™)
9664T	Shock caps, aluminum (orange-anodized), GTX shocks (4)/ spacers (4) (for Sledge™)
9664R	Shock caps, aluminum (red-anodized), GTX shocks (4)/ spacers (4) (for Sledge™)
9664	Shock caps, GT-Maxx® shocks (2)/ spring perch/ adjusters (2) (for 2 shocks) (for Sledge™)
8963	Shock shaft, 72mm (GT-Maxx®) (steel, chrome finish) (2)/ rod ends (2)/ hollow balls (2)
8963T	Shock shaft, 72mm (GT-Maxx®) (TiN-coated) (2) (assembled with rod ends and steel hollow balls)
9662	Shock shaft, 80mm (GT-Maxx®) (steel, chrome finish) (2) (assembled with rod ends and steel hollow balls)
9662T	Shock shaft, 80mm (GT-Maxx®) (TiN-coated) (2) (assembled with rod ends and steel hollow balls)
9660	Shocks, GT-Maxx®, aluminum (blue-anodized) (fully assembled w/o springs) (2)
9661	Shocks, GT-Maxx®, long, aluminum (blue-anodized) (fully assembled w/o springs) (2)

8968X	Spring retainer (adjuster), blue-anodized aluminum, GT-Maxx® shocks (4) (assembled with o-ring)
8968G	Spring retainer (adjuster), green-anodized aluminum, GT-Maxx® shocks (4) (assembled with o-ring)
8968A	Spring retainer (adjuster), orange-anodized aluminum, GT-Maxx® shocks (4) (assembled with o-ring)
8968R	Spring retainer (adjuster), red-anodized aluminum, GT-Maxx® shocks (4) (assembled with o-ring)
8966	Springs, shock (natural finish) (GT-Maxx®) (1.210 rate) (2)
8967	Springs, shock (natural finish) (GT-Maxx®) (1.450 rate) (2)
9659	Springs, shock (natural finish) (GT-Maxx®) (1.487 rate) (85mm) (2)
9658	Springs, shock (natural finish) (GT-Maxx®) (1.569 rate) (85mm) (2)
9657	Springs, shock (natural finish) (GT-Maxx®) (1.671 rate) (85mm) (2)
8969	Springs, shock (natural finish) (GT-Maxx®) (1.725 rate) (2)

Springs

8966	Springs, shock (natural finish) (GT-Maxx®) (1.210 rate) (2)
8967	Springs, shock (natural finish) (GT-Maxx®) (1.450 rate) (2)
9659	Springs, shock (natural finish) (GT-Maxx®) (1.487 rate) (85mm) (2)
9658	Springs, shock (natural finish) (GT-Maxx®) (1.569 rate) (85mm) (2)
9657	Springs, shock (natural finish) (GT-Maxx®) (1.671 rate) (85mm) (2)
8969	Springs, shock (natural finish) (GT-Maxx®) (1.725 rate) (2)

Spur Gears & Pinion Gears

9590	Gear adapter, fixed (A)/ motor mount spacer
6482X	Gear, 12-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw
6483X	Gear, 13-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw
6489X	Gear, 16-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw
6491R	Gear, 18-T pinion (machined) (1.0 metric pitch) (fits 5mm shaft)/ set screw
9651	Spur gear, 46-tooth, steel (1.0 metric pitch)
9652	Spur gear, 52-tooth, steel (1.0 metric pitch)

Steering Components

9546	Draglink, steering/ 3x14mm SS (2)
2277	Gear set, metal (for 2275 servo)
2278	Servo case, aluminum (black-anodized) (middle) (for 2275 servo)
2276	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2275 servo)
9544	Servo horn, steering, metal
9545	Servo saver/ servo saver spring/ servo horn, steering (assembled)
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2275	Servo, digital high-torque, metal gear (ball bearing), waterproof
9537	Steering blocks, left & right/ M4x0.7 NL (4)
9526	Steering link (30mm) (1)/ hollow balls (2)
9549	Toe links, front (2) (assembled with hollow balls)

Suspension Linkage

9547	Camber links, front (2) (assembled with hollow balls)
9548	Camber links, rear (2) (assembled with hollow balls)
9546	Draglink, steering/ 3x14mm SS (2)
9544	Servo horn, steering, metal
9540	Suspension pin set, front & rear (hardened steel), 4x67mm (4), 3.5x48.2mm (2), 3.5x56.7mm (2)/ M3x0.5mm NL, flanged (2)
9541	Suspension pins, inner, front or rear, 4x67mm (hardened steel) (2)
9542	Suspension pins, outer, front, 3.5x48.2mm (hardened steel) (2)/ M3x0.5mm NL, flanged (2)
9543	Suspension pins, outer, rear, 3.5x56.7mm (hardened steel) (2)/ M3x0.5mm NL, flanged (2)
9549	Toe links, front (2) (assembled with hollow balls)

Team Traxxas Items

2514	Decal sheet, racing sponsors
6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

8674	Tires & wheels, assembled, glued (black 3.8" wheels, paddle tires, foam inserts) (2) (TSM rated)
8672	Tires & wheels, assembled, glued (black wheels, Talon EXT tires, foam inserts) (2) (17mm splined) (TSM rated)
8672G	Tires & wheels, assembled, glued (green wheels, Talon EXT tires, foam inserts) (2) (17mm splined) (TSM rated)
8672A	Tires & wheels, assembled, glued (orange wheels, Talon EXT tires, foam inserts) (2) (17mm splined) (TSM rated)
4983A	Tires & wheels, assembled, glued (SS (Split Spoke) black chrome wheels, Maxx® tires (6.3" outer diameter), foam inserts) (2) (use with 17mm splined wheel hubs & nuts, part #5353X) (fits Revo®/T-Maxx®/E-Maxx) (TSM rated)

- 9672 Tires and wheels, assembled, glued (3.8" black wheels, Sledgehammer® tires, foam inserts) (2)
- 5670 **Tires, Canyon AT 3.8" (2)/ foam inserts (2)**
- 4973 **Tires, Maxx® 3.8" (6.3" outer diameter (160mm)) (2) (fits Revo®/T-Maxx®/E-Maxx)**
- 5171 **Tires, Maxx® Chevron 3.8" (2) (fits Revo®/T-Maxx®/E-Maxx)**
- 8673 **Tires, paddle 3.8" (2)/ foam inserts (2)**
- 5375 **Tires, Response Pro 3.8" (soft-compound, narrow profile, short knobby design)/ foam inserts (2)**
- 5471 **Tires, Response racing 3.8" (soft-compound, narrow profile, short knobby design)/ foam inserts (2)**
- 9670 Tires, Sledgehammer® (2)/ foam inserts (2)
- 5470 **Tires, SportTraxx racing 3.8" (soft compound, directional and asymmetrical tread design)/ foam inserts (2)**
- 8670 **Tires, Talon EXT 3.8" (2)/ foam inserts (2)**
- 8654 Wheel hubs, splined, 17mm (blue-anodized) (4)/ 4x5 GS (4)/ 3x14mm pin (4)
- 8654G **Wheel hubs, splined, 17mm (green-anodized) (4)/ 4x5 GS (4)/ 3x14mm pin (4)**
- 8654A **Wheel hubs, splined, 17mm (orange-anodized) (4)/ 4x5 GS (4)/ 3x14mm pin (4)**
- 8654R **Wheel hubs, splined, 17mm (red-anodized) (4)/ 4x5 GS (4)/ 3x14mm pin (4)**
- 7758A **Wheel nuts, splined, 17mm, serrated (black-anodized) (4)**
- 7758 **Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)**
- 7758G **Wheel nuts, splined, 17mm, serrated (green-anodized) (4)**
- 7758T **Wheel nuts, splined, 17mm, serrated (orange-anodized) (4)**
- 7758R **Wheel nuts, splined, 17mm, serrated (red-anodized) (4)**
- 8671 **Wheels, 3.8" (black) (2) (17mm splined)**
- 9671 **Wheels, 3.8" (black) (2) (17mm splined)**
- 8671G **Wheels, 3.8" (green) (2) (17mm splined)**
- 8671A **Wheels, 3.8" (orange) (2) (17mm splined)**

Traxxas Tools

- 3433X **Body reamer (aluminum handle)**
- 3433 **Body reamer (plastic handle)**
- 3436 **Cap, body reamer**
- 3432 **Scissors, curved tip**
- 3431 **Scissors, straight tip**
- 8712 **Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive**
- 8721 **Speed bit handle, medium (one piece)**
- 8720 **Speed bit handle, premium, large (rubber overmold)**
- 8722 **Speed bit handle, premium, medium (rubber overmold)**
- 8710 **Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),**
- 8711 **Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
- 8719 **Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
- 8716 **Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive**
- 8716X **Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive**
- 8715 **Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive**
- 8715X **Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
- 2748R **Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)**
- 3415 **Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle**

Turnbuckles & Threaded Rods

- 9547 Camber links, front (2) (assembled with hollow balls)
- 9548 Camber links, rear (2) (assembled with hollow balls)
- 9549 Toe links, front (2) (assembled with hollow balls)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM