

TRX-4® Ford® F-150® High Trail Edition™ (Model 92046-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

| Axle housing, front Axle housing, intermediate (TRX-6™) or rear (TRX-4®) Axle mount set (complete) (front & rear) (for suspension links) Axle shaft, front (left)/ drive pin/ cross pin | 5103A 9226 | Ball bearings, black rubber sealed (7x14x5mm) (2) Body (1979 Chevrolet® K10 Truck) |
|---|--|---|
| Axle mount set (complete) (front & rear) (for suspension links) | 9226 | _ |
| | 9226 | |
| | | Body cage (fits #9212 body) |
| , | 9228 | Body mounts (front & rear)/ 3x10mm BCS (7) (fits #9212 body) |
| Axle shaft, front (right)/ drive pin/ cross pin | 9212 | Body, Chevrolet K10 Truck (1979) (clear, requires painting)/ decals/ window masks (includes grille, side mirrors, door |
| Axle shaft, front, heavy duty (left & right) (requires #8064 front portal drive input gear) | | handles, windshield wipers, clipless mounting, hardware) |
| | 9212X | (requires #9288 inner fenders) Body, Chevrolet K10 Truck (1979), complete, black (painted, |
| Axle shaft, rear (left) | | decals applied) (includes grille, side mirrors, door handles, |
| Axle shaft, rear (right) | | windshield wipers, front & rear bumpers, clipless mounting) |
| Axle shaft, rear, heavy duty (left & right) (requires #8065 rear portal drive input gear) | 9212R | (requires #9288 inner fenders) Body, Chevrolet K10 Truck (1979), complete, red (painted, |
| Axle shaft, rear, heavy duty (left & right)/ portal drive input gear, rear (machined) (2) (assembled) | | decals applied) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, clipless mounting) |
| Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) | 6593 | (requires #9288 inner fenders) Distribution block, Pro Scale® Advanced Lighting Control |
| | | System |
| | 8134 | Grille, Chevrolet Blazer or K10 Truck (1979)/ grille retainers (4) |
| Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized) | | headlight housing (2)/ lens (2)/ 2.6x8 BCS (4)/ 2.5x6 BCS (2) (fit #8130 or 9212 series bodies) |
| (leπ and right)/ 2.5x16 CS (4) Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray- | 8082 | Installation kit, Pro Scale® Advanced Lighting Control System TRX-4® Chevrolet Blazer or K10 Truck (1979) (includes mount, |
| anodized) (left and right)/ 2.5x16 CS (4) | | reverse lights harness, hardware) |
| anodized) (left and right)/ 2.5x16 CS (4) | 8039 | LED light set (contains headlights, tail lights, side marker light & distribution block) (fits #8130 series bodies, requires #8028 |
| Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized) | | power supply) |
| ` ', | 8038 | LED light set, complete with power supply (contains headlight |
| | | tail lights, side marker lights, & distribution block) (fits #8130 |
| 5 | 9263 | series bodies) Light bar, chrome (housing & lens only) (fits #9262 or 9262X ro |
| Portal drive input gear, front (machined) (left or right) (requires | | bar) |
| · · · · · · · · · · · · · · · · · · · | 6592 | Power module, Pro Scale® Advanced Lighting Control System |
| | 6501 | (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power |
| Portal drive input gear, rear (machined) (left or right) (requires | | module & distribution block) |
| • | 8038X | Pro Scale® LED light set, TRX-4® Chevrolet Blazer or K10 Tru |
| Portal housings, inner (front), 6061-T6 aluminum (blue- | | (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8130 or 9312 acrise hedies) |
| Portal housings, inner (front), 6061-T6 aluminum (charcoal gray- | 6594 | 9212 series bodies) Receiver communication cable, Pro Scale® Advanced Lighting Control System |
| Portal housings, inner (front), 6061-T6 aluminum (green- | 9262X | Roll bar (assembled with LED lights)/ mounts (front (2), rear (le |
| Portal housings, inner (front), 6061-T6 aluminum (red-anodized) | | & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) |
| (2)/ 3x12 BCS (2) | 9262 | Roll bar/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) |
| (2)/ 2.5x10 CS (2) | 8135 | Tail lights, left & right (assembled)/ tail light retainers, left & |
| Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray- anodized) (2)/ 2.5x10 CS (2) | | right/ side marker lights (assembled) (2)/ side marker retainers (2)/ mounting tape (2)/ 1.6x5 BCS (self-tapping) (4)/ 2.6x8 BCS |
| Portal housings, inner (rear), 6061-T6 aluminum (green- | | (2) (fits #8130 or 9212 series bodies) |
| Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) | 9233 | Body (1979 Ford® F-150® Truck) Body cage, front & rear (fits #9230 body) |
| Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ | 9234 | Body mounts, front & rear (fits #9230 body) Body, Ford F-150 (1979) (clear, requires painting)/ decals/ |
| 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (charcoal gray- | 3230 | window masks (includes grille, side mirrors, door handles, windshield wipers, clipless mounting, hardware) (requires #92 |
| anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ | | inner fenders) (roll bar sold separately; choose #9262 chrome, |
| 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ | 9230-BLK | 9262R black, or 9262X chrome with lights) Body, Ford F-150 (1979), complete, black (painted, decals |
| 2.5x10 CS (12) | | applied) (includes grille, side mirrors, door handles, windshiel wipers, front & rear bumpers, clipless mounting) (requires |
| , | | #9288 inner fenders) (roll bar sold separately; choose #9262 |
| (requires #8251X, 8251R, 8251A, or 8251G outer portal housing) | 9230-BLUE | chrome, 9262R black, or 9262X chrome with lights) Body, Ford F-150 (1979), complete, blue (painted, decals |
| Bearings & Bushings | | applied) (includes grille, side mirrors, door handles, windshiel wipers, front & rear bumpers, clipless mounting) (requires |
| Ball bearings, black rubber sealed (10x15x4mm) (2) | | #9288 inner fenders) (roll bar sold separately; choose #9262 |
| Ball bearings, black rubber sealed (10x16x4mm) (2) | 0000 0000 | chrome, 9262R black, or 9262X chrome with lights) |
| | 9230-BRWN | I Body, Ford F-150 (1979), complete, brown (painted, decals |
| Ball bearings, black rubber sealed (4x10x4mm) (2) | | |
| Ball bearings, black rubber sealed (4x10x4mm) (2) Ball bearings, black rubber sealed (5x10x4mm) (2) | | applied) (includes grille, side mirrors, door handles, windshiel |
| , , , , | | applied) (includes grille, side mirrors, door handles, windshiel wipers, front & rear bumpers, clipless mounting) (requires #9288 inner fenders) (roll bar sold separately; choose #9262 chrome, 9262R black, or 9262X chrome with lights) |
| | Axle shaft, front, heavy duty (left & right)/ portal drive input gear, front (machined) (2) (assembled) Axle shaft, rear (left) Axle shaft, rear (left) Axle shaft, rear (left) Axle shaft, rear, heavy duty (left & right) (requires #8065 rear portal drive input gear) Axle shaft, rear, heavy duty (left & right)/ portal drive input gear, rear (machined) (2) (assembled) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, rear (185mm) Cross pin (2)/ drive pin (2) (to rebuild front axle shafts) Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized) (left and right)/ 2.5x16 CS (4) Portal drive axle mount, rear, 6061-T6 aluminum (charcoal gray-anodized) (left and right)/ 2.5x16 CS (4) Portal drive axle mount, rear, 6061-T6 aluminum (green-anodized) (left and right)/ 2.5x16 CS (4) Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized) (left and right)/ 2.5x16 CS (4) Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6) Portal drive housing, inner, rear (left or right) (2) Portal drive housing, inner, rear (left or right) (2) Portal drive input gear, front (machined) (left or right) (requires #8060 front axle shaft) Portal drive input gear, front (machined) (left or right) (requires #8063 rear axle) Portal drive input gear, front or rear Portal housings, inner (front), 6061-T6 aluminum (blue-anodized) (2)/ 3x12 BCS (2) Portal housings, inner (front), 6061-T6 aluminum (charcoal gray-anodized) (2)/ 3x12 BCS (2) Portal housings, inner (front), 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (2) Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (2) Portal housings, inner (rear), 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (2) Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (2) Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (2) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) Portal housings, oute | Axle shaft, front, heavy duty (left & right)/ portal drive input gear, front (machined) (2) (assembled) Axle shaft, rear (left) Axle shaft, rear (right) Axle shaft, rear, heavy duty (left & right) (requires #8065 rear portal drive input gear, rear (machined) (2) (assembled) Cable, T-lock, (readium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, rear (185mm) Cross pin (2)/ drive pin (2) (to rebuild front axle shafts) Portal drive axle mount, rear, 6061-T6 aluminum (blue-anodized) (left and right) 2.5x16 CS (4) Portal drive axle mount, rear, 6061-T6 aluminum (green-anodized) (left and right) 2.5x16 CS (4) Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized) (left and right) 2.5x16 CS (4) Portal drive axle mount, rear, 6061-T6 aluminum (red-anodized) (left and right) 2.5x16 CS (4) Portal drive housing, inner, front (left & right) (2) Portal drive housing, inner, front (left or right) (2) Portal drive housing, inner, front (machined) (left or right) (requires #8060 front axle shaft) Portal drive input gear, front or rear) (2) Portal drive input gear, front or rear Portal drive input gear, front or rear Portal drive input gear, rear (machined) (left or right) (requires #8063 rear axle) Portal drive input gear, rear (machined) (left or right) (requires #8063 rear axle) Portal housings, inner (front), 6061-T6 aluminum (blue-anodized) (2)/ 3x12 BCS (2) Portal housings, inner (front), 6061-T6 aluminum (green-anodized) (2)/ 3x12 BCS (2) Portal housings, inner (front), 6061-T6 aluminum (green-anodized) (2)/ 2x12 BCS (2) Portal housings, inner (rear), 6061-T6 aluminum (green-anodized) (2)/ 2x12 BCS (2) Portal housings, inner (front), 6061-T6 aluminum (green-anodized) (2)/ 2x12 BCS (2) Portal housings, inner (front), 6061-T6 aluminum (green-anodized) (2)/ 2x12 BCS (2) Portal housings, inner (front), 6061-T6 aluminum (green-anodized) (2)/ 2x10 CS (2) Portal housings, inner (front), 6061-T6 aluminum (green-anodized) (2)/ 2x10 CS (2) Portal housings, inner (front), 6061-T6 aluminum |

| Page 2 | TRX-4® Ford® F-150® High | Trail Edition™: TQi™ | ¹ Traxxas Link™ | Enabled 2.4GHz Radio | (Model 92046-4) Parts List |
|--------|--------------------------|----------------------|-----------------|----------------------|----------------------------|
|--------|--------------------------|----------------------|-----------------|----------------------|----------------------------|

| 6593 | Distribution block, Pro Scale® Advanced Lighting Control System | | Chassis & Attachments |
|----------------------|--|-----------------------|---|
| 3075 | Door handles, left & right/ windshield wipers, left & right/ retainers | 8215 | Body mounts & posts, front & rear (complete set) |
| | (3)/ 1.6x5 BCS (self-tapping) (4) (fits #8010 or 9230 series bodies) | 8224 | Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) |
| 070 | Grille, Ford Bronco or F-150/ grille retainers (6)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (6)/ 2.5x6 BCS (2) (fits #8010 or 9230 series bodies) | 8058 | Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inn |
| 032R | Installation kit, Pro Scale® Advanced Lighting Control System, | 8057 | fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase) |
| | TRX-4® Ford Bronco (1979), Ford F-150 (1979), or Chevrolet K10 Truck (1979) (includes mount, reverse lights harness, hardware) | 0037 | (includes rear upper & lower suspension links, front & rear |
| 036R | LED light set (contains headlights, tail lights, side marker lights, | 8220 | shock towers, long female half shaft) Chassis rails, 448mm (steel) (left & right) |
| | and distribution block) (fits #8010 or 9230 series bodies, requires #8028 power supply) | 9229 | Chassis rails, 480mm (steel) (left & right) |
| 035 | LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 | 8081 | Fender extensions (4)/ 3x8 flathead screws (24) (requires #808 narrow inner fenders) |
| 037 | body) LED lights, high/low switch (for #8035 or #8036 LED light kits) | 8080 | Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 (|
| 263 | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll | 0070 | (10) |
| 073 | bar) Mirrors, side, black (left & right)/ retainers (2)/ body clips (4) (fits | 8072 | Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flathead screws (4) |
| 073X | #8010 or 9230 series bodies) Mirrors, side, chrome (left & right)/ retainers (2)/ body clips (4) | 9288 | Fenders, inner, front & rear (for clipless body mounting) (2 each)/ rock light covers (8) |
| | (fits #8010 or 9230 series bodies) | 8218 | Floor pans, left & right |
| 592 | Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) | 8224X | Receiver box cover (for use only with #8224 receiver box & #2260 BEC)/ foam pads/ seals/ silicone grease |
| 591 | Pro Scale® Advanced Lighting Control System (includes power module & distribution block) | 8219 8225 | Rock sliders, left & right Seal kit, receiver box (includes o-ring, seals, and silicone |
| 035R | Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F- | | grease) |
| | 150 (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 or | 8240X 8239 | Servo mount, 2-speed/ servo mount, T-Lock/ wire clips Servo mount, steering/ chassis crossmember |
| | 9230 series bodies) | 8216 | Shock towers, front & rear (left & right) |
| 594 | Receiver communication cable, Pro Scale® Advanced Lighting Control System | 8226 | Tray, battery |
| 262X | Roll bar (assembled with LED lights)/ mounts (front (2), rear (left | | Differential Components |
| | & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 | 8281 | Carrier, differential/ differential slider/ T-Lock fork |
| 262R | series bodies) Roll bar (black)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS | 8280A 8280X | Differential cover, front or rear (black) Differential cover, front or rear (chrome plated) |
| 202K | (self-tapping) (4) (fits #9212 or 9230 series bodies) | 8280 | Differential cover, front or rear (grey) |
| 262 | Roll bar/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS | 8280R | Differential cover, front or rear (red) |
| 231 | (self-tapping) (4) (fits #9212 or 9230 series bodies) Side trim, left & right (chrome)/ LED lens/ 2.6x8mm BCS (14)/ | 8195 | Differential, locking, front and rear (assembled) (includes T-Lock cables and servos) |
| | 2.6x10mm BCS (6) (fits #9230 body) | 8282 | Gear set, differential (output gears (2), spider gears (4), spider gea |
| 076 | Side trim, left & right (chrome)/ retainers/ LED lens/ 2.6x8 BCS (24) (fits #8010 series bodies) | 8295 | shaft (2)) Output drive, transmission or differential (pin retainer (1)/ drive cup |
| 232 | Tailgate panel/ tail light lens (left & right)/ tail light housing (left & right)/ 1.6x10mm BCS (self-tapping) (2) (fits #9230 body) | | (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black (1) 3x6 BCS with threadlock (1)) |
| | Body Accessories | 8279 | Ring gear, differential/ pinion gear, differential |
| 926 | Antenna caps, vinyl (2)/ antenna spool | 8279R 8287 | Ring gear, differential/ pinion gear, differential (machined) Ring gear, differential/ pinion gear, differential (overdrive, |
| 726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) | 020. | machined) |
| 834 | Body Clips (12) (standard size) | 8288 | Ring gear, differential/ pinion gear, differential (underdrive, |
| 834A 934 | Body clips, black (12) (standard size) Body clips, heavy duty (12) | 8297 | machined) |
| 934A | Body clips, heavy duty (black) (12) | 0291 | Spool/ differential housing plug/ e-clip/ 2.5x8mm BCS (with threadlock) (4) |
| 215 | Body mounts & posts, front & rear (complete set) | | Driveline Components |
| 228 | Body mounts (front & rear)/ 3x10mm BCS (7) (fits #9212 body) | 9250 | Driveshaft extension kit, center (includes internal splined, xx-long (|
| 115 915 | Body posts, front & rear Body washers, foam adhesive (10) | 3200 | internal splined, medium (1) and internal splined, short (1)) |
| 514 | Decal sheet, racing sponsors | 8250 | Half shafts, center (internal splined, front (2) & internal splined, rea |
| 081 | Fender extensions (4)/ 3x8 flathead screws (24) (requires #8080 | 00554 | (2)/ external splined (2)/ pin retainer (4)) (plastic parts only) |
| 000 | narrow inner fenders) | 8255A 8269 | Stub axle, extended thread (portal drive) (2) Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) |
| 080 | Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ body mount/ 3x8 flat-head screws (4)/ 2.5x6 CS (10) | 8269X | Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4) 3x10 screw pin (4) |
| 072 | Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flathead screws (4) | 8269A | Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ 3x10 screw pin (4) |
| 288 | Fenders, inner, front & rear (for clipless body mounting) (2 each)/ rock light covers (8) | 8269G | Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (3x10 screw pin (4) |
| 950 | Official Team Traxxas® racing decal set(flag logo/ 6-color) | 8269R | Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ |
| | Bumpers & Skidplates | | 3x10 screw pin (4) Hardware |
| 234 | Bumper D-Rings, grey (front or rear)/ 2.0x12 CS (4) | 4550 | |
| 234R | Bumper D-rings, red (front or rear)/ 2.0x12 CS (4) | 1552 1834 | 3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1) Body Clips (12) (standard size) |
| 067X | Bumper mounts, front & rear/ bumper mount, rear (offset) | 1834A | Body clips, black (12) (standard size) |
| 237 | Bumper mounts, front & rear/ screw pins (4) | 3934 | Body clips, heavy duty (12) |
| 124 069X | Bumper, front (178mm wide)/ winch/ 2.6x8 BCS (1) | 3934A | Body clips, heavy duty (12) |
| 069X 235 | Bumper, front (chrome)/ bumper mount (2)/ 3x10 BCS (2) Bumper, front/ winch/ 2.6x8 BCS (1) | 4859 | CS 3x10 flathead (hex drive) |
| 235 236 | Bumper, rear | 8167X | Hardware kit, stainless steel, beadlock rings (contains stainle |
| 125 | Bumper, rear (176mm wide) | | steel hardware for 4 wheels) |
| 068 | Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2) | 8298 | Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4®) |
| | Extender, skid plate | | · |
| 9237 8 066 | Push bar, bumper (chrome) (fits #8069 bumper) | 8151 | Hardware kit, stainless steel, TRX-4® High Lift Kit (contains al |

| Page 3 | TRX-4® Ford® F-150® High | Trail Edition™: TQi™ Traxxas I | Link™ Enabled 2.4GHz Radio | (Model 92046-4) Parts List |
|--------|--------------------------|--------------------------------|----------------------------|----------------------------|
|--------|--------------------------|--------------------------------|----------------------------|----------------------------|

| EATEV | | | |
|---|--|--|---|
| 5476X | Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball | 8150 | Driveshaft extension kit, center (includes internal splined, x- |
| 1747P | Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) | | long (2), internal splined, long (1) and internal splined, medium |
| 3647 | Nuts, 4mm flanged nylon locking (steel, serrated) (8) | | (1)) (for use with TRX-4® Long Arm Lift Kit) |
| 8347 | Nuts, 4mm flanged nylon locking, serrated (black) (10) | 8140 | Long arm lift kit, TRX-4®, complete |
| 1747R | Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) | 8140X | Long arm lift kit, TRX-4®, complete (includes blue powder |
| 1747G | Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) | | coated links, blue-anodized shocks) |
| 1747T | Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) | 8140R | Long arm lift kit, TRX-4®, complete (includes red powder coated |
| 1747A | Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) | 0440 | links, red-anodized shocks) |
| 1985 | PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) | 8149 | Rod ends, extended (standard (4), angled (4))/ hollow balls (8) |
| 8221 | Screw pin, 3x10mm (6) | 0444 | (for use with TRX-4® Long Arm Lift Kit) |
| 9236 | Screws, 1.6x10mm button-head, self-tapping (hex drive) (6) | 8141 | Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) |
| 2523 | Screws, 2.5x10 countersunk machine (hex drive) (6) | 8161 | Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with |
| 3229 | Screws, 2.5x10mm cap-head machine (hex drive) (6) | 8160X | TRX-4® Long Arm Lift Kit) Shocks, GTS, aluminum (blue-anodized) (assembled without |
| 3236 | Screws, 2.5x12mm cap-head machine (6) | 01007 | springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) |
| 2618 | Screws, 2.5x16mm cap-head machine (6) | 8160R | Shocks, GTS, aluminum (red-anodized) (assembled without |
| 3215 | Screws, 2.5x6mm cap-head machine (hex drive) (6) | OTOOK | springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit) |
| 2524 | Screws, 2.5x8 countersunk machine (hex drive) (6) | 8160 | Shocks, GTS, silver aluminum (assembled without springs) (4) (for |
| 2617 | Screws, 2.5x8mm button-head machine (hex drive) (6) | 0.00 | use with #8140 TRX-4® Long Arm Lift Kit) |
| 3965 | Screws, 2.5x8mm cap-head machine (6) | 8153 | Springs, shock, long (natural finish) (GTS) (0.29 rate, white |
| 8299 | Screws, 2.6x12mm button-head, self-tapping (hex drive) (6) | | stripe) (for use with TRX-4® Long Arm Lift Kit) |
| 8167 | Screws, 2x10mm cap-head, self-tapping (hex drive) (10) | 8154 | Springs, shock, long (natural finish) (GTS) (0.39 rate, orange |
| 2564 | Screws, 2x8mm cap-head machine (hex drive) (6) | | stripe) (for use with TRX-4® Long Arm Lift Kit) |
| 2577 | Screws, 3x10mm button-head machine (hex drive) (6) | 8155 | Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with |
| 2578 | Screws, 3x12mm button-head machine (hex drive) (6) | | TRX-4® Long Arm Lift Kit) |
| 2579 | Screws, 3x15mm button-head machine (hex drive) (6) | 8156 | Springs, shock, long (natural finish) (GTS) (0.54 rate, green |
| 2591 | Screws, 3x23mm button-head machine (hex drive) (6) | | stripe) (for use with TRX-4® Long Arm Lift Kit) |
| 2581 | Screws, 3x25mm button-head machine (hex drive) (6) | 8157 | Springs, shock, long (natural finish) (GTS) (0.62 rate, blue |
| 2616 | Screws, 3x27mm button-head machine (hex drive) (6) | | stripe) (for use with TRX-4® Long Arm Lift Kit) |
| 2582 | Screws, 3x30mm button-head machine (hex drive) (6) | 8146X | Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard link, |
| 2575 | Screws, 3x6mm button-head machine (hex drive) (6) | | 5x63mm (blue powder coated steel) (assembled with hollow |
| 3932 | Screws, 3x6mm flat-head machine (hex drive) (6) | 04.46D | balls) (for use with #8140X TRX-4® Long Arm Lift Kit) |
| 2576 | Screws, 3x8mm button-head machine (hex drive) (6) | 8146R | Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard link, 5x63mm (red powder coated steel) (assembled with hollow |
| 3931 | Screws, 3x8mm flat-head machine (hex drive) (6) | | balls) (for use with #8140R TRX-4® Long Arm Lift Kit) |
| 3933 | Screws, 4x16mm button-head machine (hex drive) (6) | 8144X | Suspension link, front upper, 5x68mm (1) (blue powder coated |
| | LED Light Accessories | 01447 | steel) (assembled with hollow balls) (for use with #8140X TRX- |
| 8031 | 3-in-1 wire harness, LED light kit | | 4® Long Arm Lift Kit) |
| 8089 | 4-in-2 wire harness, LED light kit | 8144R | Suspension link, front upper, 5x68mm (1) (red powder coated |
| 6589 | Distribution block, LED light set | | steel) (assembled with hollow balls) (for use with #8140R TRX- |
| 6593 | Distribution block, Pro Scale® Advanced Lighting Control | | 4® Long Arm Lift Kit) |
| 0333 | System | 8144 | Suspension link, front upper, 5x68mm (1) (steel) (assembled with |
| 8032R | Installation kit, Pro Scale® Advanced Lighting Control System, | | hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) |
| | TRX-4® Ford Bronco (1979), Ford F-150 (1979), or Chevrolet K10 | 8143 | Suspension links, front lower (2) (5x104mm, steel) (assembled with |
| | Truck (1979) (includes mount, reverse lights harness, hardware) | | hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) |
| 8036R | LED light set (contains headlights, tail lights, side marker lights, | 8143X | Suspension links, front lower, blue (2) (5x104mm, powder |
| | and distribution block) (fits #8010 or 9230 series bodies, | | coated steel) (assembled with hollow balls) (for use with #8140X |
| | requires #8028 power supply) | 04.400 | TRX-4® Long Arm Lift Kit) |
| 8028 | LED lights, power supply (regulated, 3V, 0.5-amp)/ 3-in-1 wire | 8143R | Suspension links, front lower, red (2) (5x104mm, powder coated |
| | harness | | steel) (assembled with hollow balls) (for use with #8140R TRX- 4® Long Arm Lift Kit) |
| 8026X | LED rock light kit, TRX-4®/TRX-6™ (requires #8028 power | 0445 | - |
| | | | |
| | supply and #8018, #8072, or #8080 inner fenders) | 8145 | Suspension links, rear lower (2) (5x115mm, steel) (assembled with bollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) |
| 9263 | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll | | hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) |
| | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar) | 8145 8145X | hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear lower, blue (2) (5x115mm, powder coated |
| 9263 6592 | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar) Power module, Pro Scale® Advanced Lighting Control System | | hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX- |
| 6592 | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) | 8145X | hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) |
| | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power | | hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear lower, red (2) (5x115mm, powder coated |
| 6592 6591 | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power module & distribution block) | 8145X | hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) |
| 6592 | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power module & distribution block) Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F- | 8145X | hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) |
| 6592 6591 | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power module & distribution block) Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F-150 (1979), complete with power module (contains headlights, | 8145X 8145R | hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX- 4® Long Arm Lift Kit) Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX- |
| 6592 6591 | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power module & distribution block) Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F-150 (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 or | 8145X 8145R | hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) Suspension links, rear upper (2) (5x115mm, steel) (assembled with |
| 6592 6591 8035R | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power module & distribution block) Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F-150 (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 or 9230 series bodies) | 8145X 8145R 8142 | hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear upper, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX- |
| 6592 6591 | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power module & distribution block) Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F-150 (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 or 9230 series bodies) Receiver communication cable, Pro Scale® Advanced Lighting | 8145X 8145R 8142 8142X | hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear upper, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) |
| 6592 6591 8035R | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power module & distribution block) Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F-150 (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 or 9230 series bodies) | 8145X 8145R 8142 | hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear upper, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear upper, red (2) (5x115mm, powder coated |
| 6592 6591 8035R 6594 | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power module & distribution block) Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F-150 (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 or 9230 series bodies) Receiver communication cable, Pro Scale® Advanced Lighting Control System | 8145X 8145R 8142 8142X | hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear upper, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear upper, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX- |
| 6592 6591 8035R 6594 | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power module & distribution block) Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F-150 (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 or 9230 series bodies) Receiver communication cable, Pro Scale® Advanced Lighting Control System Roll bar (assembled with LED lights)/ mounts (front (2), rear (left | 8145X 8145R 8142 8142X 8142X | hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear upper, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear upper, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) |
| 6592 6591 8035R 6594 | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power module & distribution block) Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F-150 (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 or 9230 series bodies) Receiver communication cable, Pro Scale® Advanced Lighting Control System Roll bar (assembled with LED lights)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 | 8145X 8145R 8142 8142X | hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear upper, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear upper, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) Tires & wheels, assembled (Method Race Wheels® 105 |
| 6592 6591 8035R 6594 9262X | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power module & distribution block) Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F-150 (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 or 9230 series bodies) Receiver communication cable, Pro Scale® Advanced Lighting Control System Roll bar (assembled with LED lights)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) Roll bar (black)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) | 8145X 8145R 8142 8142X 8142X | hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear upper, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear upper, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) Tires & wheels, assembled (Method Race Wheels® 105 Beadlock 2.2" black chrome beadlock wheels, Canyon Trail |
| 6592 6591 8035R 6594 9262X | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power module & distribution block) Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F-150 (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 or 9230 series bodies) Receiver communication cable, Pro Scale® Advanced Lighting Control System Roll bar (assembled with LED lights)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) Roll bar (black)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) Roll bar/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS | 8145R 8145R 8142 8142X 8142R 8172 | hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear upper, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear upper, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) Tires & wheels, assembled (Method Race Wheels® 105 Beadlock 2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1 left, 1 right) |
| 6592 6591 8035R 6594 9262X | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power module & distribution block) Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F-150 (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 or 9230 series bodies) Receiver communication cable, Pro Scale® Advanced Lighting Control System Roll bar (assembled with LED lights)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) Roll bar (black)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) | 8145X 8145R 8142 8142X 8142X | hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear upper, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear upper, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Tires & wheels, assembled (Method Race Wheels® 105 Beadlock 2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1 left, 1 right) Tires & wheels, assembled, glued (2.2" classic chrome wheels, |
| 6592 6591 8035R 6594 9262X | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power module & distribution block) Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F-150 (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 or 9230 series bodies) Receiver communication cable, Pro Scale® Advanced Lighting Control System Roll bar (assembled with LED lights)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) Roll bar (black)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) Roll bar/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) | 8145R 8145R 8142 8142X 8142R 8172 | hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear upper, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear upper, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Tires & wheels, assembled (Method Race Wheels® 105 Beadlock 2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1 left, 1 right) Tires & wheels, assembled, glued (2.2" classic chrome wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (front (2), |
| 6592 6591 8035R 6594 9262X 9262R 9262 | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power module & distribution block) Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F-150 (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 or 9230 series bodies) Receiver communication cable, Pro Scale® Advanced Lighting Control System Roll bar (assembled with LED lights)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) Roll bar (black)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) Roll bar/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) | 8145R 8145R 8142 8142X 8142R 8172 8184 | hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear upper, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear upper, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Tires & wheels, assembled (Method Race Wheels® 105 Beadlock 2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1 left, 1 right) Tires & wheels, assembled, glued (2.2" classic chrome wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (front (2), rear (2)) (requires #8255A extended thread stub axle) |
| 6592 6591 8035R 6594 9262X | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power module & distribution block) Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F-150 (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 or 9230 series bodies) Receiver communication cable, Pro Scale® Advanced Lighting Control System Roll bar (assembled with LED lights)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) Roll bar (black)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) Roll bar/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) Roll bar/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) | 8145R 8145R 8142 8142X 8142R 8172 | hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear upper, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear upper, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Tires & wheels, assembled (Method Race Wheels® 105 Beadlock 2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1 left, 1 right) Tires & wheels, assembled, glued (2.2" classic chrome wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (front (2), |
| 6592 6591 8035R 6594 9262X 9262R 9262 | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power module & distribution block) Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F-150 (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 or 9230 series bodies) Receiver communication cable, Pro Scale® Advanced Lighting Control System Roll bar (assembled with LED lights)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) Roll bar (black)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) Roll bar/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) Roll bar/ source (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) | 8145R 8145R 8142 8142X 8142R 8172 8184 | hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear upper, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear upper, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) Tires & wheels, assembled (Method Race Wheels® 105 Beadlock 2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1 left, 1 right) Tires & wheels, assembled, glued (2.2" classic chrome wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (front (2), rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" wheels, |
| 6592 6591 8035R 6594 9262X 9262R 9262 | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power module & distribution block) Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F-150 (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 or 9230 series bodies) Receiver communication cable, Pro Scale® Advanced Lighting Control System Roll bar (assembled with LED lights)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) Roll bar (black)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) Roll bar/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) Roll bar/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) | 8145X 8145R 8142 8142X 8142X 8142R 8172 8184 | hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear upper, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear upper, plue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Tires & wheels, assembled (Method Race Wheels® 105 Beadlock 2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1 left, 1 right) Tires & wheels, assembled, glued (2.2" classic chrome wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (front (2), rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" wheels, Canyon Trail 5.3x2.2" tires) (2) |
| 6592 6591 8035R 6594 9262X 9262R 9262 | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power module & distribution block) Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F-150 (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 or 9230 series bodies) Receiver communication cable, Pro Scale® Advanced Lighting Control System Roll bar (assembled with LED lights)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) Roll bar (black)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) Roll bar/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (aluminum, red-anodized) (1) (for use | 8145X 8145R 8142 8142X 8142X 8142R 8172 8184 8181 8170 | hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear upper, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear upper, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) Tires & wheels, assembled (Method Race Wheels® 105 Beadlock 2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1 left, 1 right) Tires & wheels, assembled, glued (2.2" classic chrome wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (front (2), rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" wheels, Canyon Trail 5.3x2.2" tires) (2) Tires, Canyon Trail 5.3x2.2" tires) (2) |
| 6592 6591 8035R 6594 9262X 9262R 9262 8162X 8162X | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power module & distribution block) Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F-150 (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 or 9230 series bodies) Receiver communication cable, Pro Scale® Advanced Lighting Control System Roll bar (assembled with LED lights)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) Roll bar (black)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) Roll bar/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) LOTT FITT FITT (FITT) Body, GTS shock, long (aluminum, blue-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) | 8145X 8145R 8142 8142X 8142X 8142R 8172 8184 8181 8170 | hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear upper, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear upper, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Tires & wheels, assembled (Method Race Wheels® 105 Beadlock 2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1 left, 1 right) Tires & wheels, assembled, glued (2.2" classic chrome wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (2) center caps (front (2), rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" wheels, Canyon Trail 5.3x2.2" tires) (2) Tires, Canyon Trail 5.3x2.2" tires) (2) Wheels, 2.2", Method Race Wheels® 105 Beadlock (black chrome, beadlock) (beadlock rings sold separately) Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal |
| 6592 6591 8035R 6594 9262X 9262R 9262 8162X 8162X | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power module & distribution block) Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F-150 (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 or 9230 series bodies) Receiver communication cable, Pro Scale® Advanced Lighting Control System Roll bar (assembled with LED lights)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) Roll bar (black)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) Roll bar/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) LOTE ATTILLEGE Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 | 8145X 8145R 8142 8142X 8142X 8142R 8172 8184 8181 8170 8171 8171A | hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear upper, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear upper, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Tires & wheels, assembled (Method Race Wheels® 105 Beadlock 2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1 left, 1 right) Tires & wheels, assembled, glued (2.2" classic chrome wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (front (2), rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" wheels, Canyon Trail 5.3x2.2" tires) (2) Tires, Canyon Trail 5.3x2.2" tires) (2) Tires, Canyon Trail 5.3x2.2" tires) (2) Wheels, 2.2", Method Race Wheels® 105 Beadlock (black chrome, beadlock) (beadlock rings sold separately) Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) |
| 6592 6591 8035R 6594 9262X 9262R 9262 8162X 8162R 8162R | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power module & distribution block) Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F-150 (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 or 9230 series bodies) Receiver communication cable, Pro Scale® Advanced Lighting Control System Roll bar (assembled with LED lights)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) Roll bar (black)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) Roll bar/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) Roll bar/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) **Total Lift (fit)** Body, GTS shock, long (aluminum, blue-anodized) (1) (for use with #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long | 8145X 8145R 8142 8142X 8142X 8142R 8172 8184 8171 | hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear upper, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear upper, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Tires & wheels, assembled (Method Race Wheels® 105 Beadlock 2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1 left, 1 right) Tires & wheels, assembled, glued (2.2" classic chrome wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (front (2), rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" wheels, Canyon Trail 5.3x2.2" tires) (2) Tires, Canyon Trail 5.3x2.2" tires) (2) Wheels, 2.2", Method Race Wheels® 105 Beadlock (black chrome, beadlock) (beadlock rings sold separately) Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal |
| 6592 6591 8035R 6594 9262X 9262R 9262 8162X 8162R 8162 8147 8148 | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power module & distribution block) Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F-150 (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 or 9230 series bodies) Receiver communication cable, Pro Scale® Advanced Lighting Control System Roll bar (assembled with LED lights)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) Roll bar (black)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) Roll bar/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) **Long** In The Control of th | 8145X 8145R 8142 8142X 8142X 8142R 8172 8184 8181 8170 8171 8171A | hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear upper, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear upper, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Tires & wheels, assembled (Method Race Wheels® 105 Beadlock 2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1 left, 1 right) Tires & wheels, assembled, glued (2.2" classic chrome wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (front (2), rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" wheels, Canyon Trail 5.3x2.2" tires) (2) Tires, Canyon Trail 5.3x2.2" tires) (2) Tires, Canyon Trail 5.3x2.2" tires) (3) Wheels, 2.2", Method Race Wheels® 105 Beadlock (black chrome, beadlock) (beadlock rings sold separately) Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) |
| 6592 6591 8035R 6594 9262X 9262R 9262 8162X 8162X 8162R 8162 | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar) Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) Pro Scale® Advanced Lighting Control System (includes power module & distribution block) Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F-150 (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 or 9230 series bodies) Receiver communication cable, Pro Scale® Advanced Lighting Control System Roll bar (assembled with LED lights)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) Roll bar (black)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) Roll bar/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) Roll bar/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) **Total Lift (fit)** Body, GTS shock, long (aluminum, blue-anodized) (1) (for use with #8140X TRX-4® Long Arm Lift Kit) Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit) Cable, T-lock, extra long (193mm) (for use with TRX-4® Long | 8145X 8145R 8142 8142X 8142X 8142R 8172 8184 8181 8170 8171 8171A | hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) Suspension links, rear upper, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Suspension links, rear upper, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Tires & wheels, assembled (Method Race Wheels® 105 Beadlock 2.2" black chrome beadlock wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (1 left, 1 right) Tires & wheels, assembled, glued (2.2" classic chrome wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (front (2), rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (TRX-4® Sport 2.2" wheels, Canyon Trail 5.3x2.2" tires) (2) Tires, Canyon Trail 5.3x2.2" tires) (2) Tires, Canyon Trail 5.3x2.2" tires) (2) Wheels, 2.2", Method Race Wheels® 105 Beadlock (black chrome, beadlock) (beadlock rings sold separately) Wheels, 2.2", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately) |

Page 4 TRX-4® Ford® F-150® High Trail Edition™: TQi™ Traxxas Link™ Enabled 2.4GHz Radio (Model 92046-4) Parts List

| | Motors & Electronics | 2938X | Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) |
|---------------------|---|---------------------|--|
| 1926 | Antenna caps, vinyl (2)/ antenna spool | 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) |
| 1726 2262 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (12.6 volts (3s LiPo) maximum input voltage) | 2943 6548 | Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 |
| 2064A | (includes receiver box cover and seals) Gear set (for 2065A waterproof sub-micro servo) | 8222 | transmitter) Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-cell |
| 2064R | Gear set, metal (for 2065R waterproof sub-micro servo) | | LiPo batteries) |
| 2072X | Gear set, metal (for 2070, 2075 servos) | 2923X | Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) |
| 2252 | Gear set, metal (for 2250, 2255 servos) | 2940X | Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V) |
| 2272 | Gear set, metal (for 2270 waterproof servo) | 2950X | Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) |
| 2072R 8290X | Gear set, metal, high-speed (for 2070, 2075 servos) | 2960X | Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) |
| 8290A | Motor mount plate, 6061-T6 aluminum (blue-anodized) Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized) | 2983 | Battery/charger completer pack (includes #2969 2-amp NiMH |
| 8290G | Motor mount plate, 6061-T6 aluminum (charcoal gray-ahodized) | | peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell |
| 8290R | Motor mount plate, 6061-16 aluminum (green-anodized) | 2992 | NiMH iD® battery (1)) Battery/charger completer pack (includes #2970 iD® charger (1), |
| 3975R | Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1) | 2992 | #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® battery (1)) |
| 8290 | Plate, motor/ upper spur gear cover | 2994 | Battery/charger completer pack (includes #2970 iD® charger (1), |
| 2254 | Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) | | #2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1)) |
| 2253 | Servo case, aluminum (middle) (red-anodized) (for 2255 servo) | 2991 | Battery/charger completer pack (includes #2972 Dual iD charger |
| 2251 | Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for | | (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (2)) |
| | 2250, 2255 servos) | 2262 | BEC, complete (12.6 volts (3s LiPo) maximum input voltage) |
| 2271 | Servo case/ gaskets (for 2270 waterproof servo) | | (includes receiver box cover and seals) |
| 2063A | Servo case/gaskets (for 2065A waterproof sub-micro servo) | 2975 | Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) |
| 2063R | Servo case/gaskets (for 2065R metal gear, waterproof, sub- | 2972 | Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery |
| | micro servo) | 2072 | Identification Charger E7 Book Live Duel 200W NiMH/LiPe with iD Auto |
| 2063X | Servo case/gaskets (for 2065X metal gear, waterproof, sub- | 2973 | Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification |
| ECCO | micro servo) | 2970 | Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery |
| 5669 | Servo horn (with built-in spring and hardware) (for Summit locking differential) | 2370 | Identification |
| 2075R | Servo, digital high-speed, metal gear (ball bearing), waterproof | 2971 | Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto |
| 2250 | Servo, digital high-torque 330 coreless, metal gear (ball | | Battery Identification |
| 2200 | bearing), waterproof (#2262 external BEC and #8247X metal | 2981 | Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto |
| | servo horn recommended for optimal performance) | | Battery Identification |
| 2255 | Servo, digital high-torque 400 brushless, metal gear (ball | 6525 | Communication link, telemetry expander |
| | bearing), waterproof (#2262 external BEC and #8247X metal | 6512 | Cover plate, Traxxas® Link Bluetooth® module |
| | servo horn recommended for optimal performance) | 2978 | Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) |
| 2270 | Servo, digital high-torque, metal gear (ball bearing), waterproof | 2064A | Gear set (for 2065A waterproof sub-micro servo) |
| 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof | 2064R | Gear set, metal (for 2065R waterproof sub-micro servo) |
| 2065A | Servo, sub-micro, waterproof | 2072X | Gear set, metal (for 2070, 2075 servos) |
| 2065R | Servo, sub-micro, waterproof, metal gear | 2252 | Gear set, metal (for 2250, 2255 servos) |
| 3025 | XL-5HV 3s Electronic Speed Control, waterproof (low-voltage | 2272 2072R | Gear set, metal (for 2270 waterproof servo) |
| 2261 | detection, fwd/rev/brake) Y-harness, BEC | 2968X | Gear set, metal, high-speed (for 2070, 2075 servos) LiPo cell voltage checker/balancer (includes #2938X adapter for |
| 2201 | · | 2300X | Traxxas® iD® batteries) |
| | Pro Scale® Winch & Accessories | 2968 | LiPo cell voltage checker/balancer (requires #2938X adapter for |
| 8867 | Bumper, front, winch, medium (includes bumper mount, D- | | Traxxas® iD® batteries) |
| | Rings, fairlead, hardware) (fits TRX-4® 1979 Bronco and 1979 Blazer with 8855 winch) (217mm wide) | 6561 | Mount, telemetry expander |
| 8859 | Fairlead, winch | 6535 | Mount, temperature sensor (electric motors)/ wire tie/ thermal |
| 8870X | Fairlead, which Fairlead, which, aluminum (blue-anodized) (use with front | | pad |
| 0070X | bumpers #8865, 8866, 8867, 8869, or 9224) | 6533 | Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel) |
| 8870A | Fairlead, winch, aluminum (gray-anodized) (use with front | 6552 | Seal kit, expander box (includes o-ring, seals, and silicone |
| | bumpers #8865, 8866, 8867, 8869, or 9224) | CEOC | grease) |
| 8870G | Fairlead, winch, aluminum (green-anodized) (use with front | 6526 6527 | Sensor, auto-detectable, temperature Sensor, auto-detectable, voltage |
| | bumpers #8865, 8866, 8867, 8869, or 9224) | 652 <i>1</i> | Sensor, temperature and voltage (long) |
| 8870T | Fairlead, winch, aluminum (orange-anodized) (use with front | 2254 | Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) |
| | bumpers #8865, 8866, 8867, 8869, or 9224) | 2253 | Servo case, aluminum (middle) (red-anodized) (for 2255 servo) |
| 8870R | Fairlead, winch, aluminum (red-anodized) (use with front | 2251 | Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for |
| 0000 | bumpers #8865, 8866, 8867, 8869, or 9224) | 220. | 2250, 2255 servos) |
| 8862 8863 | Gearmotor, winch | 2271 | Servo case/ gaskets (for 2270 waterproof servo) |
| 8858 | Hook, winch (steel)/ line retainer/ washer Housings (front & rear), winch/ decal | 2063A | Servo case/gaskets (for 2065A waterproof sub-micro servo) |
| 8864X | Line, winch (blue) | 2063R | Servo case/gaskets (for 2065R metal gear, waterproof, sub- |
| 8864 | Line, winch (gray) | | micro servo) |
| 8864R | Line, winch (gray) | 2063X | Servo case/gaskets (for 2065X metal gear, waterproof, sub- |
| 8860 | Spool shaft assembly, winch | | micro servo) |
| 8861 | Spool, winch | 2075R | Servo, digital high-speed, metal gear (ball bearing), waterproof |
| 8855 | Winch kit with wireless controller, TRX-4® and TRX-6® | 2250 | Servo, digital high-torque 330 coreless, metal gear (ball |
| 8856 | Winch, TRX-4® and TRX-6® (requires #8857 wireless remote) | | bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) |
| 8857 | Wireless remote, winch, TRX-4® and TRX-6® | 2255 | Servo, digital high-torque 400 brushless, metal gear (ball |
| | Radio System, Batteries & Chargers | 2200 | bearing), waterproof (#2262 external BEC and #8247X metal |
| 2022 | | | servo horn recommended for optimal performance) |
| 2823X | 1400mah 11.1v 3-Cell 25C LiPo Battery | 2270 | Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 2820X 2849X | 2200mah 7.4v 2-Cell 25C LiPo Battery | 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 2849X 2872X | 4000mah 11.1v 3-Cell 25C LiPo Battery 5000mah 11.1v 3-Cell 25C LiPo Battery | 2065A | Servo, sub-micro, waterproof |
| 2842X | 5000mah 7.4v 2-Cell 25C LiPo Battery | 2065R | Servo, sub-micro, waterproof, metal gear |
| | Totalian First E con 200 En o Battory | 6553X | Telemetry Expander 2.0 and GPS module 2.0, TQi radio system |
| 2843X | 5800mah 7.4v 2-Cell 25C LiPo Battery | | |
| 2843X 2869X | 5800mah 7.4v 2-Cell 25C LiPo Battery 7600mah 7.4v 2-Cell 25C LiPo Battery | 6550X | Telemetry expander 2.0, TQi radio system (for use only with |
| | 7600mah 7.4v 2-Cell 25C LiPo Battery | 6550X | Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) |
| 2869X | - | | Telemetry expander 2.0, TQi radio system (for use only with |

| 6509R | TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® | 8044 | Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) |
|----------------------|---|-----------------------|--|
| 5507R | Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® | 8045 | (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2 |
| | Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver) | | Spur Gears & Pinion Gears |
| 530 | Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4- | 6746 6747 | Gear, 10-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw Gear, 11-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw |
| 511 | channel (transmitter only) Traxxas® Link Bluetooth® module | 3942X | Gear, 12-T pinion (32-p), (steer) (fits shift shart) set screw Gear, 12-T pinion (32-p), heavy duty (machined, hardened stee |
| 261 | Y-harness, BEC | 3943X | (fits 3mm shaft)/ set screw Gear, 13-T pinion (32-p), heavy duty (machined, hardened ste |
| | Ready-To-Race Model | 3943A | (fits 3mm shaft)/ set screw |
| 2046-4 | TRX-4® High Trail Edition™ with 1979 Ford® F-150® Truck Body: 4WD Electric Truck with TQi™ Traxxas Link™ Enabled 2.4GHz | 3944X | Gear, 14-T pinion (32-p), heavy duty (machined, hardened ster (fits 3mm shaft)/ set screw |
| | Radio System Scale Details | 3945X | Gear, 15-T pinion (32-p), heavy duty (machined, hardened ster (fits 3mm shaft)/ set screw |
| 120X | Expedition rack, complete (includes traction boards, shovel, | 3946X | Gear, 16-T pinion (32-p), heavy duty (machined, hardened stee |
| | axe, jack, fire extinguisher, fuel cans, & mounting hardware) (fits #8111 or #8111R body) | 3947X | (fits 3mm shaft)/ set screw Gear, 17-T pinion (32-p), heavy duty (machined, hardened ster (fits 3mm shaft)/ set screw |
| 022T 022R | Fuel canisters (black) (2)/ screw pin | 3948X | Gear, 18-T pinion (32-p), heavy duty (machined, hardened ste |
| 022K 022 | Fuel canisters (blue) (2)/ screw pin Fuel canisters (red) (2)/ screw pin | 20.40V | (fits 3mm shaft)/ set screw |
| 022X | Fuel canisters (white) (2)/ screw pin | 3949X | Gear, 19-T pinion (32-p), heavy duty (machined, hardened ster (fits 3mm shaft)/ set screw |
| 022A 023 | Fuel canisters (yellow) (2)/ screw pin Jack (1)/ 2x8 BCS (1) | 3950X | Gear, 20-T pinion (32-p), heavy duty (machined, hardened stee |
| 023 023T | Jack (1)/ 2x8 BCS (1) Jack (black) (1)/ 2x8 BCS (1) | 3951X | (fits 3mm shaft)/ set screw Gear, 21-T pinion (32-p), heavy duty (machined, hardened ste |
| 122 | Shovel/ axe/ accessory mount/ mounting hardware | 3331X | (fits 3mm shaft)/ set screw |
| 121X 121G | Traction boards, blue/ mounting hardware | 3952X | Gear, 22-T pinion (32-p), heavy duty (machined, hardened ste |
| 121G 121A | Traction boards, green/ mounting hardware Traction boards, yellow/ mounting hardware | 6745 | (fits 3mm shaft)/ set screw Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw |
| 121 | Traction boards/ mounting hardware | 8052 | Spur gear, 39-tooth (32-pitch) |
| | Shock Oil | 8053 | Spur gear, 45-tooth (32-pitch) |
| 031 | Oil, shock (20 wt, 200 cSt, 60cc) (silicone) | | Steering Components |
| 032 | Oil, shock (30 wt, 350 cSt, 60cc) (silicone) | 8232 | Caster blocks (portal drive), left & right |
| 033 034 | Oil, shock (40 wt, 500 cSt, 60cc) (silicone) Oil, shock (50 wt, 600 cSt, 60cc) (silicone) | 8232X 8232A | Caster blocks, 6061-T6 aluminum (blue-anodized), left and rig |
| 034 035 | Oil, shock (60 wt, 700 cSt, 60cc) (silicone) | 0232A | Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), le and right |
| 036 | Oil, shock (70 wt, 900 cSt, 60cc) (silicone) | 8232G | Caster blocks, 6061-T6 aluminum (green-anodized), left and |
| 037 | Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) | 0222B | right |
| 029 038X | Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & | 8232R 2072X | Caster blocks, 6061-T6 aluminum (red-anodized), left and right Gear set, metal (for 2070, 2075 servos) |
| 000% | 80 wt premium shock oils with spinning carousel rack) | 2072R | Gear set, metal, high-speed (for 2070, 2075 servos) |
| 038 | Spinning carousel rack | 8274 | Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) |
| | Shocks (GTS) | 5355 | Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) |
| 266A | Body, GTS shock (aluminum, blue-anodized) (1) | 8275 | Rod end set, complete (standard (10), angled 10-degrees (8), offs |
| 266G 266R | Body, GTS shock (aluminum, green-anodized) (1) Body, GTS shock (aluminum, red-anodized) (1) | 0076 | (4)) Red and (40) |
| 266 | Body, GTS shock (aluminum, silver-anodized) (1) | 8276 8277 | Rod ends (10) Rod ends, angled 10-degrees (8) |
| 266X | Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1) | 2742 | Rod ends, long (6)/ hollow ball connectors (6) |
| 264 | Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) | 8278 | Rod ends, offset (4) |
| 274 | Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) | 8247X 2075R | Servo horn, steering, metal/ 3x14 BCS (1) Servo, digital high-speed, metal gear (ball bearing), waterprod |
| 475 | Multi-tool (plastic) | 2250 | Servo, digital high-torque 300 coreless, metal gear (ball |
| 261 | Piston, damper (red) (4)/ e-clips (8) | | bearing), waterproof |
| 262 | Rebuild kit, TRX-4® shocks (x-rings, o-rings, pistons, bushings, e clips, rod ends, and travel limiters) | 2255 | Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof |
| 263 | Shock shaft, 3x47mm (GTS) (2) | 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 263T 260X | Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies | 5529 | Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow bal |
| 20UA | with TiN shafts (assembled with spring retainers) (2) | 8246 | captured (4) Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) |
| 260A | Shocks, GTS, blue-anodized (assembled with spring retainers) | 8243 | Suspension link, front, 5x100mm (lower) (steel) (2) |
| 260G | (2) Shocks, GTS, green-anodized (assembled with spring retainers) | 8244 | Suspension link, front, 5x63mm (upper) (steel) (2) |
| 260R | (2) Shocks, GTS, red-anodized (assembled with spring retainers) | 8245 | Suspension link, rear, 5x121mm (upper or lower) (steel) (2) |
| | (2) | 8058 | Chassis conversion kit, TRX-4® (long to short wheelbase) |
| 260 | Shocks, GTS, silver aluminum (assembled with spring retainers) (2) | 8057 | (includes rear upper & lower suspension links, front & rear in fenders, short female half shaft, battery tray, 3x8mm FCS (4)) Chassis conversion kit, TRX-4® (short to long wheelbase) |
| 200 | Slipper Clutch Components | | (includes rear upper & lower suspension links, front & rear |
| 292 286 | Input shaft/ output shaft (transmission) Output shafts (transfer case), front & rear | 0274 | shock towers, long female half shaft) |
| 254 | Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL | 8274 5355 | Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer |
| | (1)/ spring washers (2)) | | adjustment shims; 3.5mm (2), 1.17mm (2) |
| 249 | Slipper eliminator plate | 8275 | Rod end set, complete (standard (10), angled 10-degrees (8), offs |
| 244 | Springs | 8276 | (4)) Rod ends (10) |
| 041 | Springs, shock (GTS) (front) (0.45 rate) (2) Springs, shock (GTS) (rear) (0.54 rate) (2) | 8277 | Rod ends, angled 10-degrees (8) |
| 040 | | | Dad and Jane (6)/ ballow ball connectors (6) |
| | Springs, shock (atural finish) (GTS) (0.22 rate, yellow stripe) (2) | 2742 | Rod ends, long (6)/ hollow ball connectors (6) |
| 8040 8042 8043 | | 2742 8278 5529 | Rod ends, folig (6)/ fioliow ball connectors (6) Rod ends, offset (4) Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow ball |

| Page 6 | TRX-4® Ford® F-150® High Trail Edition™: TQi™ Traxx | as Link™ | Enabled 2.4GHz Radio (Model 92046-4) Parts List |
|----------------|---|---------------------|---|
| 8243 8244 | Suspension link, front, 5x100mm (lower) (steel) (2) Suspension link, front, 5x63mm (upper) (steel) (2) | 8175 | Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) |
| 8248 | Suspension link, rear, 5x109mm (upper or lower) (steel) (2) | 8173 | Wheels, 1.9", Method Race Wheels® 105 Beadlock (black |
| 8245 | Suspension link, rear, 5x121mm (upper or lower) (steel) (2) | | chrome, beadlock) (beadlock rings sold separately) |
| | Team Traxxas Items | 8173A | Wheels, 1.9", Method Race Wheels® 105 Beadlock (charcoal |
| 2514 | Decal sheet, racing sponsors | 8158X | gray, beadlock) (beadlock rings sold separately) Wheels, 2.2", chrome (2)/ center caps (front (2), rear (2)) |
| 6160X | DVD, Maxx® Power! Full Throttle Action (sleeve) | 0.0021 | (requires #8255A extended thread stub axle) |
| 9950 | Official Team Traxxas® racing decal set(flag logo/ 6-color) | 8158 | Wheels, 2.2", satin chrome (2)/ center caps (front (2), rear (2)) |
| 9909 | Traxxas® racing banner, red & black (3x7 feet) | 04=4 | (requires #8255A extended thread stub axle) |
| | Tires & Wheels | 8171 | Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock rings sold separately) (for use with TRX-4 Long Arm Lift Kit) |
| 8169T | Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48) | 8171A | Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock |
| 8168T | Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48) | | rings sold separately) (for use with TRX-4 Long Arm Lift Kit) |
| 8169X 8168X | Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48) | 8180 | Wheels, TRX-4 Sport 2.2 (2) (for use with TRX-4 Long Arm Lift |
| 8169G | Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48) | 8271 | Kit) Wheels, TRX-4® 1.9 (2) |
| 8168G | Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48) | 8271X | Wheels, TRX-4® 1.9 (satin beadlock) (2) |
| 8169R | Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48) | 8178 | Wheels, TRX-4® Sport 1.9 (2) |
| 8168R 8169 | Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) | 8268 | Wheels, TRX-4® Tactical 1.9 (2) |
| 8168 | Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (2.2") (aluminum)(4)/ 2x10 CS (48) | | Transmission Components |
| 8152 | Center caps, wheel (satin chrome) (front (2), rear (2)) (requires | 8283 | Cable, T-lock (front) |
| | #8255A extended thread stub axle) | 8284 | Cable, T-lock (rear) |
| 1747P | Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) | 9283 8195 | Cable, T-lock, rear (185mm) Differential, locking, front and rear (assembled) (includes T-Lock |
| 1747R 1747G | Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) | 0193 | cables and servos) |
| 1747T | Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) | 8289 | Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage |
| 1747A | Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) | 8293X | Gear set, transmission, metal (includes 18T, 30T input gears, 36T |
| 8174 | Tires & wheels, assembled (Method Race Wheels® 105 | 8291 | output gear, 2x9.8 pins (5)) Gearbox housing (includes main housing, front housing, & cover) |
| | Beadlock 1.9" black chrome beadlock wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right) | 8285 | Gears, transfer case (3) |
| 8182 | Tires & wheels, assembled (Method Race Wheels® 105 | 5041 | Grease, premium high performance (20cc) |
| | Beadlock 1.9" satin black chrome, blue beadlock style wheels, | 8292 | Input shaft/ output shaft (transmission) |
| 0400 | Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right) | 8290X | Motor mount plate, 6061-T6 aluminum (blue-anodized) |
| 8166 | Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires | 8290A 8290G | Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized) Motor mount plate, 6061-T6 aluminum (green-anodized) |
| | #8255A extended thread stub axle) | 8290R | Motor mount plate, 6061-T6 aluminum (green-unouzed) |
| 8177 | Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon | 8295 | Output drive, transmission or differential (pin retainer (1)/ drive cup |
| | Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle) | | (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) |
| 8166X | Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon | 8294 | (1) 3x6 BCS with threadlock (1)) Output gear, high range, 24T (metal) |
| | Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires | 8286 | Output shafts (transfer case), front & rear |
| 04007 | #8255A extended thread stub axle) | 8290 | Plate, motor/ upper spur gear cover |
| 8183X | Tires & wheels, assembled, glued (1.9" classic chrome wheels, Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet | 8249 | Slipper eliminator plate |
| | (requires #8255A extended thread stub axle) | 8296 8196 | Transmission gears, single speed, metal Two speed conversion kit |
| 8159X | Tires & wheels, assembled, glued (2.2" chrome wheels, Canyon | 0130 | Traxxas Tools |
| | Trail 5.3 x 2.2" tires) (2)/ center caps (front (2), rear (2))/ decal sheet (requires #8255A extended thread stub axle) | 3433X | Body reamer (aluminum handle) |
| 8184 | Tires & wheels, assembled, glued (2.2" classic chrome wheels, | 3433A 3433 | Body reamer (aluminum nandle) |
| | Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (front | 3436 | Cap, body reamer |
| 8159 | (2), rear (2)) (requires #8255A extended thread stub axle) Tires & wheels, assembled, glued (2.2" satin chrome wheels, | 3432 | Scissors, curved tip |
| 0109 | Canyon Trail 5.3 x 2.2" tires) (2)/ center caps (front (2), rear (2)) | 3431 | Scissors, straight tip |
| | (requires #8255A extended thread stub axle) | 8712 | Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: |
| 8273 | Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon | | 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, |
| 8272X | Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock | | and 8.0mm), 1/4" drive |
| V2. 2. | wheels, Canyon Trail 4.6x1.9" tires) (2) | 8720 8721 | Speed bit handle, large (overmolded) Speed bit handle, medium (one piece) |
| 8272 | Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon | 8722 | Speed bit handle, premium (rubber overmold) |
| 8179 | Trail 4.6x1.9" tires) (2) Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels, | 8710 | Speed Bit Master Set, hex and nut driver, 13-piece, includes |
| 0173 | Canyon Trail 4.6x1.9" tires) (2) | | premium handle (medium), travel pouch, hex drivers (straight: |
| 8172 | Tires and wheels, assembled (Method 105 2.2™ black chrome | | 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, |
| | beadlock wheels, Canyon Trail 5.3x2.2™ tires, foam inserts) (1 | | 8.0mm), 1/4" drive |
| 8181 | left, 1 right) (for use with TRX-4 Long Arm Lift Kit) Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ | 8711 | Speed Bit Master Set, hex driver, 7-piece straight and ball end, |
| •.•. | wheels, Canyon Trail 5.3x2.2™ tires) (2) (for use with TRX-4 | | includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, |
| | Long Arm Lift Kit) | | 2.5mm, 3.0mm), 1/4" drive |
| 8270 | Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2) | 8719 | Speed Bit Master Set, nut driver, 6-piece, includes premium |
| 8170 | Tires, Canyon Trail 5.3x2.2™/ foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit) | | handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, |
| 8269 | Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) | 8716 | 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" |
| 8269X | Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ | | drive |
| 8269A | 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- | 8716X | Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, |
| OLUGA | anodized) (4)/ 3x10 screw pin (4) | 8715 | 3.0mm) 1/4" drive Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, |
| 8269G | Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ | 0110 | 2.5mm), 1/4" drive |
| 8269R | 3x10 screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ | 8715X | Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, |
| 020311 | 3x10 screw pin (4) | 8714 | 2.5mm, 3.0mm), 1/4" drive Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 |
| 8165 | Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires | V. 1-7 | Phillips, and #2 Phillips bits), 1/4" drive |
| | #8255A extended thread stub axle) | | |

Page 7 TRX-4® Ford® F-150® High Trail Edition™: TQi™ Traxxas Link™ Enabled 2.4GHz Radio (Model 92046-4) Parts List

| 2748R | Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench) |
|-------|---|
| 3415 | Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle) |

| | wrenches/ driver handle) |
|------|---|
| | TRX-4® Traxx® |
| 8889 | Bearing retainers, inner (2)/ outer (2) |
| 8890 | Drive wheel (1) |
| 8885 | Shock mounts (frame, left (2), frame, right (2))/ portal mounts (1 each, front (left & right), rear (left & right)) |
| 8888 | Spring (4) |
| 8887 | Stub axle (1) |
| 8886 | Stub axle nut (4) |
| 8891 | Tension wheels (6)/ road wheels (4) |
| 8881 | Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) |
| 8882 | Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) |
| 8883 | Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) |
| 8884 | Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) |
| 8880 | Traxx®, TRX-4® (4) (complete set, front & rear) |
| 8895 | Treads, All-Terrain, TRX-4® Traxx® (front, left or right) (rubber) (1) |
| 8896 | Treads, All-Terrain, TRX-4® Traxx® (rear, left or right) (rubber) (1) |

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM